



# Brachyglottis bellidioides var. bellidioides

## SYNONYMS

Senecio bellidioides Hook.f. var. bellidioides, Senecio bellidioides var. angustatus Kirk, Senecio angustatus (Kirk) Cockayne et Sledge nom. illegit., Brachyglottis bellidioides var. angustata (Kirk) B.Nord., Senecio bellidioides var. orbiculatus Simpson et J.S.Thomson, Brachyglottis bellidioides var. orbiculata (G.Simpson et J.S.Thomson) B.Nord., Senecio bellidioides var. setosus Simpson et J.S.Thomson, Brachyglottis bellidioides var. setosa (G.Simpson et J.S.Thomson) B.Nord.

## FAMILY

Asteraceae

## AUTHORITY

Brachyglottis bellidioides (Hook.f.) B.Nord. var. bellidioides

## FLORA CATEGORY

Vascular – Native

## ENDEMIC TAXON

Yes

## ENDEMIC GENUS

No

## ENDEMIC FAMILY

No

## STRUCTURAL CLASS

Herbs - Dicotyledonous composites

## CHROMOSOME NUMBER

2n = 60

## CURRENT CONSERVATION STATUS

2017 | Not Threatened

## PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

## FLOWER COLOURS

Yellow

## LIFE CYCLE

Pappate cypselae are dispersed by wind (Thorsen et al., 2009).

## ETYMOLOGY

**brachyglottis:** Name comes from the Greek words brachus meaning “short” and glottis meaning “the vocal apparatus of the larynx”

**bellidioides:** Like Bellis, the English daisy

## REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 2009 Vol. 11 No. 4 pp. 285-309

## MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/brachyglottis-bellidioides-var-bellidioides/>