

INDIGENOUS VASCULAR PLANTS OF WHITE CLIFFS AREA NEAR
PUKEARUHE[†], N. TAKAHAKI, S.L.-1000 FT. (MIMI R. TO TONGAPORUTU R.,
AND WEST OF NEW PLYMOUTH-TE KUITI STATE HIGHWAY)

[†] Grid ref. N99 07-12-

110° 57' E 125° 1'

A.P. Druce, Botany Division, D.S.I.R., and C. Ogle, 1972

(revised June 1974, June 1975, July 1976, May 1977, March 1978

(Based on visits 1958-78) Oct. 1978

March 1979

May 1979

June 1979

March 1980

June 1980

April 1982

June 1985

July 1985

May 1986

unc - uncommon or local

* - only seen south of Pukearuhē

GYMNOSPERM TREES

Dactylocarpus dactyloides (unc)

Dactylium cupressinum

Phyllocladus trichomanoides ss.

Podocarpus hallii

Prumnopitys ferruginea

P. taxifolia (unc)

Carpodetus serratus
Nov. 1990

Corynocarpus laevigatus
July 1992)

Dodonaea viscosa var. (unc)

Dracophyllum latifolium (incl.
D. matthewsii) (unc)

Dysoxylum spectabile

Elaeocarpus dentatus (incl. *E. d.*
var. *obovatus*)

Entelea arborescens (unc)

MONOCOT TREES AND SHRUBS

Cordyline australis

C. banksii (unc)

Rhopalostylis sapida

Fuchsia excorticata (unc)

Griselinia lucida

Hedycarya arborea

Hollieria populnea var. *anceps* (unc)

Knightia excelsa

Laurilia novae-zelandiae

Litsea calicaris

Lophomyrtus bullata

L. obcordata (unc)

L. bullata X *L. obcordata* (unc)

DICOT TREES

Alectryon excelsus var. *excelsus*
(unc)

Aristotelia serrata (unc)

Beilschmiedia tawa

<i>Macropiper excelsum</i> var. <i>excelsum</i>	* <i>Coprosma acerosa</i> ssp. <i>acerosa</i>
<i>Melicope ternata</i>	(unc)
<i>Melicytus ramiflorus</i> ssp. <i>ramiflorus</i>	<i>C. grandifolia</i>
* <i>Metrosideros excelsa</i>	<i>C. lucida</i> s.s.
<i>M. robusta</i>	<i>C. propinquia</i> ssp. <i>propinquia</i> (unc)
<i>Mida salicifolia</i> (incl. <i>M. s. var. myrtifolia</i>)	
<i>Myoporum laetum</i> var. <i>laetum</i> (unc)	
<i>Myrsinie australis</i>	<i>C. repens</i>
<i>Nestegis lanceolata</i>	<i>C. robusta</i>
<i>N. montana</i> (unc)	<i>C. tenuicaulis</i> (unc)
<i>Nothofagus truncata</i>	<i>Coriaria arborea</i> (unc)
<i>Syzygium heterophyllum</i>	
* <i>Pittosporum crassifolium</i> var. <i>crassif.</i>	<i>Cyathodes</i> sp. (<i>C. juniperina</i> agg.)
<i>P. tenuifolium</i> ssp. <i>coleusoi</i> (unc)	(vs 0.5 > 1cm X > 1mm) (unc)
<i>Pseudopanax arboreus</i> var. <i>arb.</i> (unc)	
<i>P. crassifolius</i> (unc)	
<i>Quintinia serrata</i> (incl. <i>Q. acutifolia</i> and <i>Q. elliptica</i>)	<i>Dracophyllum strictum</i>
<i>Schefflera digitata</i>	<i>Gaultheria antipoda</i> (unc)
<i>Sophora microphylla</i>	<i>G. oppositifolia</i> (unc)
<i>Syzygium maire</i> (unc)	<i>G. paniculata</i> (unc)
<i>Vitex lucens</i>	<i>Geniostoma rupestre</i> var. <i>ligustrifolium</i>
<i>Wauimannia racemosa</i> var. <i>racemosa</i>	* <i>Hebe speciosa</i> (unc)
DICOT SHRUBS	<i>H. stricta</i> var. <i>macroura</i>
<i>Alseuosmia macrophylla</i>	<i>H. s. var. stricta</i>
<i>Brachyglossis kirkii</i> s.s.	<i>H. townsonii</i> (Moore 1961)
<i>B. repanda</i> s.s.	* <i>H. speciosa</i> X <i>H. stricta</i> var. <i>macroura</i> (unc)
<i>Carmichaelia cunninghamii</i> (incl. <i>C. aligera</i>)	<i>Kunzea ericoides</i> agg.
<i>Cassinia leptophylla</i> var. <i>leptophylla</i>	<i>Leptospermum scoparium</i>
	<i>Leucopogon fasciculatus</i> var.

Olearia tani var. *colorata*
O. solandri
O. townsonii (incl. *O. furfuracea* var.
 rubicunda and *O. thomsonii*) (unc)
 **O. sp.* (*O. albida*?) (unc)
Pimelea urvilleana (incl. *P. prostrata*
 var. *quadrifaria*?) (unc)
Pittosporum cornifolium (unc)
Pseudowintera axillaris (unc)
Rhabdotiamnus solandri
Solanum aviculare var. *aviculare*

[PSILOPSIDS AND LYCOPODS]
Tmesipteris elongata (incl.
T. e. ssp. *robusta*) (unc)
T. lanceolata (unc)
T. tannensis (unc)
Lycopodium cernuum (unc)
L. deuterodensum (unc)
L. scariosum (unc)
L. varium (incl. *L. billardierei*
 and *L. novae-zelandicum*) (unc)
L. volubile (unc)

MONOCOT LIANES

Freycinetia baueriana ssp.
 banksii

Ripogonum scandens

DICOT LIANES

Calystegia tuguriorum
C. sepium ssp. (lvs much longer
 than broad; bracteoles scarcely inflated;
 corolla pink with white bands) (unc)

Clematis paniculata

Metrosideros carminea (unc)
M. diffusa

M. fulgens

M. perfolata

Muehlenbeckia australis

Parsonsia capsularis var.

→ *Rubus cissoides* var. *cissoides* (unc)

**Tetragonia trigyna* (unc)

— *Passiflora quadrangularis*

FERNS

Adiantum cunninghamii
A. fulvum
A. vitidescens (unc)
Anarthropteris lanceolata
Asplenium bulbiferum
A. flaccidum
A. oblongifolium
A. polyodon
 **A. tectum* ssp. *matitimum*
 (unc)

Blechnum banksii

B. chambersii

B. colensoi

B. discolor

B. filiforme

B. fluitatile agg.

B. membranaceum (unc)

**B. minus* (unc)

- B.sp.(i)(unnamed)(common lowland sp.; *Lastreopsis glabella*(unc)
lower pinnae reduced in length)
- B.sp.(ii)(unnamed)(cliff sp.;
lower pinnae not reduced in length)
("The Green Bay Species" of Crookes
1963)
- B.chambersii* X *B.mambianum*
(unc)
- Ctenopteris heterophylla*
Cyathea cunninghamii (unc)
- C.dealbata*
- C.medullaris*
- C.smithii*
- Dicksonia squarrosa*
- Diplazium australe*
- **Doodia media* ssp. *australis*(unc)
- Grammitis billardierei*
- G.ciliata* (unc)
- Histicopteris incisa*
- Hymenophyllum demissum*
- H.dilatatum*(unc)
- H.ferrugineum*(unc)
- H.flabellatum*
- H.flexuosum*(unc)
- H.multifidum*(unc)
- H.patum*
- H.revolutum*
- H.sanguinolentum* ags.
- H.scabrum*(unc)
- Hypolepis ambigua*
- H.lactea*(unc)
- Lastreopsis glabella*(unc)
- L.hispida*
- L.velutina*(unc)
- Leptopteris hymenophylloides*
- Lindsaea trichomanoides*(unc)
- L.viridis*(unc)
- Marattia salicina* var. *salic*(unc)
- Paesia scaberula*
- Pellaea rotundifolia*(unc)
- Phymatosorus pustulatus*
- P.scanadens*
- Pneumatopteris pennigera*
- Polystichum richardii*
- P.vestitum*(unc)
- Pteridium esculentum*
- Pteris macilenta*(incl. *P.saxatilis*)
- P.pendula*
- P.tremula*
- Pyrrosia eleagnifolia*
- Rumohra adiantiformis* (unc)
- Sticherus cunninghamii*
- Trichomanes elongatum*(unc)
- T.endlicherianum*(unc)
- T.raniforme*
- T.venosum*
- ORCHIDS**
- Bulbophyllum pygmaeum*(unc)
- Corybas rivularis*(unc)
- C.trilobus* s.s.
- Dendrobiun cunninghamii*

Drimoanthus adversus(unc)
Erianthus autumnalis
E. mucronata agg.
Microtis unifolia
Pterostylis banksii
P. sp.(unnamed; aff. *P. montana*)
Thelymitra longifolia

GRASSES

Cortaderia fulvida
C. toetoe
Dayouxia billardierei
Dichothachne crinita
Elymus multiflorus(unc)
**Isachne globosa*(unc)
Lachnagrostis sp.(unnamed; included
in *L. filiformis*, as var. *littoralis*, by
Zotov (1965))(unc)

Microlaena avenacea
M. stipoides
Oplismenus imbecillus
Poa anceps ssp. *anceps*
Rytidosperma gracile

R. unirede

Spinifex sericeus

SEDGES

Bolboschoenus medianus
Carex dissita s.s.
C. flagellifera (coastal form)
C. forsteri(unc)
* *C. lessoniana*(unc)

C. pumila(unc)
C. solandri
C. virgata
C. sp.(unnamed; aff. *C. geminata*)
(much larger than *C. geminata*;
lvs up to 25cm wide)
Cyperus ustulatus
Desmoschoenus spitalis(unc)
**Eleocharis acuta*(unc)
Gahnia lacera
G. pauciflora
G. setifolia
Isolepis cernua
I. nodosa
I. tenuiculatis

Machaerina sindaitii
Schoenus apogon(Cheeseman
S. maschalimus(unc) (1925)
S. fendo(unc)
Uncinia banksii
U. ferruginea
U. uncinata

RUSHES

Juncus australis
J. gregillatus
J. pallidus
J. planifolius
J. prismatocarpus
J. sarophorus

Leptocarpus similis
Luzula picta s.s. (unc)

unnamed;
Pseudognaphalium sp.(i) / aff. *P.*

(*luteoalbum*) (vs mostly linear-spathulate to linear, acute)

P. sp(ii) (unnamed; aff. *P. luteoalbum*) (vs mostly oblong-spathulate to narrowly oblong, rounded)

MONOCOT HERBS (OTHER THAN ORCHIDS, /
[GRASSES, SEDGES, RUSHES]

Anthropodium candidum (unc)
**A. cirtatum*

Senecio lautus ssp. *latus* (unc)

S. minimus

Stuifglandulosus var. (unc)

Sonchus kirkii (unc)

Colospermum hastatum
C. microspermum
Dianella nigra (unc)
Libertia grandiflora (unc)
L. ixoides (unc)
Phormium cookianum
P. tenax
P. cookianum × *P. tenax*
**Potamogeton cheesemanii* (unc)
Triglochin striata
**Typha orientalis*

DICOT HERBS (OTHER THAN /
[COMPOSITES]]

Acaena anserinifolia (unc)

Apium prostratum ssp.

Callitrichia muelleri (unc)

Calystegia soldanella

Cardamine sp. (*C. debilis* agg.)

Centella uniflora

Chenopodium glaucum var. *ambig* - *vum* (unc)

Dichondra repens agg.

Disphyma austiale ssp. *austiale*

Elatostema rugosum

Epilobium alsinoides s.s. (unc)

* *E. billardiereanum* (unc)

E. brunneascens s.s. (unc)

E. heterotoides (unc)

E. nummulariifolium

* *E. pallidiflorum* (unc)

E. rotundifolium

COMPOSITE HERBS]

Anaphalis kerriensis s.s. (unc)
A. subrigida (unc)
Cotula coronopifolia
Gnaphalium audax
G. gymnocephalum (unc)
G. sphaericum
*G. sp. (cf. *G. limosum*)*
Lagenifera pumila (unc)
Leptinella squalida ss
*L. sp. (*L. dispersa* or *L. tenella*)*

**Euphorbia glauca* (unc)
Euphrasia cuneata (unc)
Gunnera monoica

Haloragis erecta ssp. *erecta*
Hydrocotyle heteromeria (unc)
H. moschata
Lilaeopsis novae-zelandiae
Linum monogynum (unc)
➤ *Lobelia anceps*
Nettlera depressa (incl. N.
cunninghamii)
Oxalis exilis
O. rubens

< *Myosotis* sp. (unnamed; included
in *M. petiolata*, as var. *pansa*,
by Moore 1961) (unc)

Parahelbe diffusa ssp. *diffusa* (unc)
Peperomia urvilleana
Plantago raoulii (coastal form
with broad-elliptic lvs) (unc)
Pratia angulata agg.
Ranunculus acaulis (unc)
R. reflexus
Rorippa gigantea (unc)
Sarcocornia quinqueflora
Samolus repens var. *repens*
Selliera radicans agg.
Solanum americanum (unc)
Stellaria decipiens (incl. *S. parviflora*)
Tetragonia tetragonoides (unc)
Urtica incisa
Wahlenbergia rupestris

No. of species: 307.

