

Anisotome filifolia

FAMILY

Apiaceae

AUTHORITY

Anisotome filifolia (Hook.f.) Cockayne & Laing

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

NVS CODE

ANIFIL

CHROMOSOME NUMBER

2n = 22

CURRENT CONSERVATION STATUS

2017 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

LIFE CYCLE

Winged mericarps are dispersed by wind (Thorsen et al., 2009).

ETYMOLOGY

anisotome: Unequal sided

filifolia: Thread leaved

REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 2009 Vol. 11 No. 4 pp. 285-309

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/anisotome-filifolia/>



Berts stream, Tarndale, January. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.



Torlesse Park. Photographer: Melissa Hutchison, Licence: CC BY-NC.