

Azorella haastii subsp. haastii

BIOSTATUS

Native – Endemic taxon

CURRENT CONSERVATION STATUS

2023 | Not Threatened

[Jump to previous conservation statuses](#)

CATEGORY

Vascular

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

DISTRIBUTION

Endemic. North and South Islands from the Ruahine Range south.

GENUS

Azorella

FAMILY

Apiaceae

AUTHORITY

Azorella haastii (Hook.f.) Drude var. *haastii*

SYNONYMS

Pozoa haastii Hook.f., *Pozoa elegans* Colenso, *Azorella haastii* (Hook.f.) Kirk, *Schizeilema hasstii* subsp. *hookerianum* Domin, *Schizeilema haastii* (Hook.f.) Domin var. *haastii*

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

FLOWERING

December - February

FRUITING

January - April

ETYMOLOGY

haastii: Honours the New Zealand geologist and botanist Sir Julius von Haast (1822-87)

NVS CODE

SCHHVH

CHROMOSOME NUMBER

$2n = 32$

PREVIOUS CONSERVATION STATUSES

2017 | Not Threatened

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

[Jump to current conservation status](#)



Homer Basin, January. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.

REGIONAL CONSERVATION STATUSES

Otago: 2025 | Regionally At Risk – Regionally Naturally Uncommon | Qualifiers: DPR, DPS, DPT, NS, Sp Help
The regional threat classification system leverages off the national assessments in the NZTCS, providing information relevant for the regional context. Otago conservation status information is sourced from the “Conservation Status of Indigenous Vascular Plants in Otago, 2025” Jarvie S et al. (2025) report.

REFERENCES AND FURTHER READING

Plunkett, G.M.; Nicolas, A.N. 2016: Assessing *Azorella* (Apiaceae) and its allies: Phylogenetics and a new classification. *Brittonia* 68:1-31.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/azorella-haastii-subsp-haastii/>

PDF DATE

27 May 2026