

Azorella schizeilema

SYNONYMS

Pozoa reniformis Hook.f., Azorella reniformis (Hook.f.) Benth. et Hook.f., Schizeilema reniforme (Hook.f.) Domin

FAMILY

Apiaceae

AUTHORITY

Azorella schizeilema G. M. Plunkett et A. N. Nicolas

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

NVS CODE

SCHREN

CURRENT CONSERVATION STATUS

2017 | At Risk – Naturally Uncommon | Qualifiers: RR

PREVIOUS CONSERVATION STATUSES

2012 | At Risk – Naturally Uncommon | Qualifiers: RR

2009 | At Risk – Naturally Uncommon

2004 | Range Restricted

DISTRIBUTION

Endemic. new ZEaland: Auckland Islands, Campbell Island/Motu Ihupuku.

FLOWERING

November–February

FRUITING

November–March

THREATS

No apparent threats—listed because it is an island endemic occupying a rather small geographic range.

ETYMOLOGY

schizeilema: Split cover (floral bracts)

WHERE TO BUY

Not commercially available.


MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/azorella-schizeilema/>



Auckland Island, above Port Ross.

Photographer: Geoffrey M. Rogers, Licence: CC BY-SA.



Azorella schizeilema, primarily alpine rock crevices, main Auckland Island, Strannik Auckland Island Expedition. Photographer: Alex Fergus, Date taken: 13/01/2023, Licence: CC BY-NC.