

Brachyglottis repanda

COMMON NAME

Rangiora, bushman's toilet paper, bushman's friend

SYNONYMS

Cineraria repanda G.Forst., *Senecio georgii* Endl. *Senecio forsteri* Hook.f., *Brachyglottis rangiora* Buchanan, *Brachyglottis rangiora* Hort., *Brachyglottis repanda* var. *fragrans* D.G.Drury, *Brachyglottis repanda* J.R.Forst. et G.Forst. var. *repanda*

FAMILY

Asteraceae

AUTHORITY

Brachyglottis repanda J.R.Forst. et G.Forst.

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Dicotyledonous Trees & Shrubs

NVS CODE

BRAREP

CHROMOSOME NUMBER

2n = 60

CURRENT CONSERVATION STATUS

2012 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2009 | Not Threatened

2004 | Not Threatened

BRIEF DESCRIPTION

Common large shrub or sometimes small tree with very large (5-15cm) thin mottled leaves with jagged edges and white underneath. New growth covered in tawny or white fuzz. Flowers small, white or cream, clustered into large conspicuous sprays.

DISTRIBUTION

Endemic. North Island throughout. South Island - north west Nelson to just south of Greymouth in the west, and near Kekerengu in the east. Naturalised on Banks Peninsula, Otago Peninsula, and on Stewart Island at Oban.

HABITAT

Common in coastal, lowland and lower montane shrubland and open forest. Often a pioneer species.



Wellington. Sep 1993. Photographer: Jeremy Rolfe



Brachyglottis repanda. Photographer: Jeremy Rolfe

FEATURES

Shrub to small tree up to 6 m or more tall. Trunk one or more arising from ground, covered in somewhat corky bark. Branches stout, spreading, rather brittle, initially densely clad in fine white to buff tomentum becoming glabrescent with age. Petiole stout, grooved, 80-100 mm long. Leaves leathery, 50-250(-300) X 50-20(-30) mm, dark green to pale green above, undersides clad in fine, appressed vivid white hairs, broad- to ovate-oblong, obtuse to subacute, obliquely cordate to truncate at base, margins distantly dentately lobed to sinuate. Inflorescence a much branched panicle. Capitula 5 mm diam., numerous, without ligules (discoid). Involucral bracts 3 mm long, narrow-oblong to narrow spatulate, margins scarious except at base. Florets 10-12, yellow. Seeds (cypsela) narrowly oblong-elliptic to oblong elliptic, 1-1.8 mm long, ribs 6, rounded, broad. Pappus 2-3 mm, buff-yellow, scabrid.

SIMILAR TAXA

This shrub is unlikely to be confused with any other indigenous plant, except its close relative the Three Kings endemic *B. arborescens*. That species differs from *B. repanda* by its thick corky bark, smaller, saddle-shaped leaves, smaller, less branched panicles, darker sulphur yellow florets, oblong seeds 2-2.3 mm with 12-13 ribs, and longer pappus ((2.5-) 3.5-4.5 mm)).

FLOWERING

(July-) August-October (-November)

FLOWER COLOURS

Cream, White

FRUITING

(October-) November-December (-January)

LIFE CYCLE

Pappate achenes are dispersed by wind (Thorsen et al., 2009).

PROPAGATION TECHNIQUE

Very easy from fresh seed and from semi-hardwood or hardwood cuttings. Fast growing but inclined to be short-lived. benefits from a hard prune after flowering.

ETYMOLOGY

brachyglottis: Name comes from the Greek words brachus meaning "short" and glottis meaning "the vocal apparatus of the larynx"

repanda: Means irregularly undulating or scalloped (describing leaf margins)

WHERE TO BUY

Commonly grown and offered by many commercial nurseries and native plant specialist growers. Several variegated forms are now available, as is a purple-leaved cultivar cv. *purpurea* said to have come from a wild plant on the banks of the Wanganui River.

CULTURAL USE/IMPORTANCE

The large leaves with their white, finely hairy undersides have served a dual purpose for many, as they make excellent toilet paper, and also can be written upon (with a ballpoint pen), thus allowing one to send rather novel letters.

ATTRIBUTION

Fact sheet prepared by P.J. de Lange for NZPCN (1 June 2013)

REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. *Perspectives in Plant Ecology, Evolution and Systematics* 2009 Vol. 11 No. 4 pp. 285-309

CITATION

Please cite as: de Lange, P.J. (Year at time of access): *Brachyglottis repanda* Fact Sheet (content continuously updated). New Zealand Plant Conservation Network.

<https://www.nzpcn.org.nz/flora/species/brachyglottis-repanda/> (Date website was queried)

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/brachyglottis-repanda/>