

Callitriche heterophylla

BIOSTATUS

Exotic

CONSERVATION STATUS

Not applicable

CATEGORY

Vascular

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

SIMPLIFIED DESCRIPTION

An erect amphibious, slender-stemmed perennial, growing up to 1m tall in shallow freshwater or creeping, prostrate and mat-like on damp ground. Apical rosettes of leaves frequently float on the water surface, submerged leaves narrow. The flowers are small, green and inconspicuous.

FLOWER COLOURS

Green

DETAILED DESCRIPTION

The stems are threadlike and branched, up to ca 50 cm long. The leaves are opposite and may be submerged or floating. Submerged leaves are narrow 0.5 to 2.5cm long with 2 rounded leaf tip lobes. The floating leaves are oval (ca 1 cm wide), and may form rosettes on the water surface. The leaf bases are joined by a wing-like ridge. The flowers are small, without petals and sepal, but have 2 small white bracts (that act as petals). The flowers occur in the leaf bases. There are 4 tiny fruits per flower that are heart shaped ca. up to 1mm in size, and do not have a narrow winged margin.

SIMILAR TAXA

All *Callitriche* species are superficially similar and have variable vegetative parts. Differs from *C. stagnalis* by its submerged leaves being narrower than floating leaves. The fruit are less than 1 mm in diameter and winged only at the top.

DISTRIBUTION

Waikato River

HABITAT

Shallow water lake margins and slow flowing streams.

GENUS

Callitriche

FAMILY

Plantaginaceae

AUTHORITY

Callitriche heterophylla Pursh

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

FLOWERING

Spring/summer

YEAR NATURALISED

1959



ORIGIN

N. America

REASON FOR INTRODUCTION

Probably a soil seed contaminant or contaminant of ornamental pond plants.

TOLERANCES

The taxonomy of the four introduced Northern Hemisphere Callitriche requires further investigation in New Zealand.

CONTROL TECHNIQUES

Can be controlled manually, mechanically or herbicidally depending on situation.

LIFE CYCLE AND DISPERSAL

Reproduces from plant fragments and seed.

WETLAND PLANT INDICATOR STATUS RATING

OBL: Obligate Wetland

Almost always is a hydrophyte, rarely in uplands (non-wetlands).

ETYMOLOGY

callitriche: From the Greek kalli 'beautiful' and thrix 'hair', referring to the beautiful stems

heterophylla: Varied leaves; from the Greek heteros and phullon

REFERENCES AND FURTHER READING

Johnson PN, Brooke PA (1989). Wetland plants in New Zealand. DSIR Field Guide, DSIR Publishing, Wellington. 319pp.

Aston, H (1977). Aquatic plants of Australia. Melbourne University Press, 367pp.

Lansdown, R.V. (2008). Water-starworts (Callitriche of Europe) BSBI Handbook 2, London. 180 pp.

ATTRIBUTION

Factsheet prepared by Paul Champion and Deborah Hofstra (NIWA).

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/callitriche-heterophylla/>

PDF DATE

06 June 2026