

Coenogonium fruticulosum

BIOSTATUS

Native – Endemic taxon

CURRENT CONSERVATION STATUS

2018 | At Risk – Naturally Uncommon | Qualifiers: DP

CATEGORY

Lichen

STRUCTURAL CLASS

Lichens - Filamentous

LICHEN SUBSTRATES

Corticolous (bark, wood), Muscicolous (moss), Graminicolous (grass)

SUBSTRATE DETAILS

Corticolous, muscicolous, graminicolous

GENUS

Coenogonium

FAMILY

Coenogoniaceae

AUTHORITY

Coenogonium fruticulosum L.Ludw.

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

ETYMOLOGY

fruticulosum: the epithet is a diminutive of Latin fruticosus meaning shrubby or bushy, in reference to the often branched coralloid isidia

NVS CODE

COEFRU

REFERENCES AND FURTHER READING

Ludwig L.R. 2014: *Coenogonium fruticulosum*, a new isidiate species from New Zealand. *Australasian Lichenology* 75: 18-27.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/coenogonium-fruticulosum/>

PDF DATE

27 May 2026



Corticolous, Ardmore Auckland. Photographer: Marley Ford, Date taken: 05/05/2022, Licence: CC BY.



Corticolous, Ardmore Auckland. Photographer: Marley Ford, Date taken: 05/05/2022, Licence: CC BY.