

Coniocarpon cinnabarinum

COMMON NAMES

Bloody comma lichen

BIOSTATUS

Native

CURRENT CONSERVATION STATUS

2018 | Data Deficient | Qualifiers: SO

CATEGORY

Lichen

STRUCTURAL CLASS

Lichens - Crustose

LICHEN SUBSTRATE

Corticolous (bark, wood)

SUBSTRATE DETAILS

Corticolous

GENUS

Coniocarpon

FAMILY

Arthoniaceae

AUTHORITY

Coniocarpon cinnabarinum DC.

SYNONYMS

Arthonia cinnabarina, Arthonia tumidula, Coniocarpon cinnabarinum, Spiloma tumidula

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

REFERENCES AND FURTHER READING

Bartlett J.K. 1988: Lichens of the Waitakere Range. *Auckland Botanical Society Bulletin* 17: 1-29.
Galloway D.J. 1985: *Flora of New Zealand: Lichens*. Wellington: PD Hasselberg, Government Printer. 662 pp.
Galloway D.J. 2007: *Flora of New Zealand: Lichens, including lichen-forming and lichenicolous fungi*. 2nd edition. Lincoln, Manaaki Whenua Press. 2261 pp.
Hutchison M. 2022: iNaturalist observation. <https://inaturalist.nz/observations/108338842>. Date accessed: 14 June 2023.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/coniocarpon-cinnabarinum/>

PDF DATE

27 May 2026



On tree privet, near Huntly. Photographer: Melissa Hutchison, Date taken: 23/02/2022, Licence: CC BY-NC.



On tree privet, near Huntly. Photographer: Melissa Hutchison, Date taken: 23/02/2022, Licence: CC BY-NC.