

Cotoneaster pannosus

BIOSTATUS

Exotic

CONSERVATION STATUS

Not applicable

CATEGORY

Vascular

STRUCTURAL CLASS

Trees & Shrubs - Dicotyledons

FLOWER COLOURS

Red/Pink, White

SIMILAR TAXA

Has been confused with *C. franchetii*, however the flowers of that species have erect petals and the fruits mostly have 3 (up to 5) pyrenes ('seeds'), whereas *C. pannosus* has flowers with spreading petals and almost always has 2 pyrenes per fruit.

GENUS

Cotoneaster

FAMILY

Rosaceae

AUTHORITY

Cotoneaster pannosus Franch.

ENDEMIC FAMILY

No

ETYMOLOGY

cotoneaster: From *cotoneus* an old Latin name for the quince, and possibly *aster*, corruption of *adinstar* 'resembling', i.e. quince-like

MANAAKI WHENUA ONLINE INTERACTIVE KEY

[Key to Cotoneaster species present in New Zealand](#)

REFERENCES AND FURTHER READING

Ogle, CC; Sykes, WR (2003): *Cotoneaster pannosus* as an adventive plant in New Zealand. *New Zealand Botanical Soc. Newsletter* 73:9-11.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/cotoneaster-pannosus/>

PDF DATE

25 May 2026



Wanganui. Jan 2004. Photographer: Colin C. Ogle, Licence: CC BY-NC.



Wanganui. Photographer: Colin C. Ogle, Licence: CC BY-NC.