

Dicranopteris linearis

SYNONYMS

Gleichenia linearis (Burm. f.) C.B. Clarke; *Polypodium lineare* Bruman, *Polypodium dichotomum* Thunb., *Mertensia dichotoma* Willd.

FAMILY

Gleicheniaceae

AUTHORITY

Dicranopteris linearis (Burm.f.) Underw. var. *linearis*

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Ferns

NVS CODE

GLELIN

CHROMOSOME NUMBER

2n = c.160

CURRENT CONSERVATION STATUS

2018 | Threatened – Nationally Endangered

PREVIOUS CONSERVATION STATUSES

2012 | At Risk – Naturally Uncommon | Qualifiers: RR, SO

2009 | At Risk – Naturally Uncommon | Qualifiers: SO

2004 | Range Restricted

DISTRIBUTION

Indigenous. In New Zealand known only from the North Island, where it grows on geothermally heated ground from Rotorua to Karapiti near Taupo

HABITAT

In New Zealand confined to geothermally active sites where it grows on heated soils, sinter field, and around geysers, hot pools, and steam vents.

FEATURES

Terrestrial fern. Rhizomes long-creeping, hairy. Fronds up to 0.3 m tall finely hairy with hairs irregularly branched; veins free. Stipes glaucous-brown to pale brown, persistent when dead, glabrous, terminated by a bud. Rachises of fronds in 1-2-tiers, forking 2-3x at narrow angles with a bud terminating each fork, the ultimate branches pinnate, narrowly elliptic, 0.1-0.4 m long. Pinnae linear 10-40 x 2.5-5 mm, notched at apices, margins smooth, fused at base, pale green to yellow green to slightly glaucous green above, whitish to glaucescent below. Sori in one row either side of midrib and well away from pinna margins, comprising 6-10 pairs of sporangia, indusia absent.



Rainbow Mountain, Maungakareme Scenic Reserve. Photographer: Gillian Crowcroft



October. Photographer: John Smith-Dodsworth

SIMILAR TAXA

Distinguished from the distinctly related New Zealand species of *Sticherus* C.Presl and *Gleichenia* J.E.Smith by its hairy rather than scaly rhizomes, pinnae confined to ultimate branches rather than on all rachis branches, irregularly branched lamina hairs, and by the sporangia in groups of 6-10 rather than in groups of 2, 2-4 or in rows either side of the midrib. It is the only species of the New Zealand representatives of the family Gleicheniaceae to be completely confined to geothermal sites.

FLOWERING

Not applicable - spore producing

FLOWER COLOURS

No flowers

FRUITING

Not applicable - spore producing

PROPAGATION TECHNIQUE

Easy from rooted pieces. Once established grows quickly. Prefers a sunny site in damp soil. Frost and cold sensitive

THREATS

Not threatened. Naturally confined to sites of geothermal activity within the Taupo Volcanic Zone. Rather tolerant of extreme heat and able to withstand shading. This species has actively colonised newly created geothermal fields such as Karapiti. It is possible some smaller populations might be threatened by introduced weeds tolerant of heated soils but there is no hard evidence available to confirm this.

ETYMOLOGY

linearis: Linear (leaves)

WHERE TO BUY

Not commercially available.

TAXONOMIC NOTES

New Zealand plants appear to represent a distinct cytorace. This needs further investigation.

ATTRIBUTION

Fact sheet prepared by P.J. de Lange for NZPCN (1 June 2013)

CITATION

Please cite as: de Lange, P.J. (Year at time of access): *Dicranopteris linearis* Fact Sheet (content continuously updated). New Zealand Plant Conservation Network. <https://www.nzpcn.org.nz/flora/species/dicranopteris-linearis/> (Date website was queried)

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/dicranopteris-linearis/>