

# Dirinaria aegialita

## BIOSTATUS

Native

## CURRENT CONSERVATION STATUS

2018 | Data Deficient | Qualifiers: SO

## CATEGORY

Lichen

## STRUCTURAL CLASS

Lichens - Foliose

## LICHEN SUBSTRATES

Saxicolous (rock), Corticolous (bark, wood)

## SUBSTRATE DETAILS

Corticolous, saxicolous

## GENUS

Dirinaria

## FAMILY

Caliciaceae

## AUTHORITY

Dirinaria aegialita (Afzel. ex Ach.) B.J.Moore

## SYNONYMS

Parmelia aegialita Afz.

## ENDEMIC TAXON

No

## ENDEMIC GENUS

No

## ENDEMIC FAMILY

No

## REFERENCES AND FURTHER READING

Galloway D.J. 2007: *Flora of New Zealand: Lichens, including lichen-forming and lichenicolous fungi*. 2nd edition. Lincoln, Manaaki Whenua Press. 2261 pp.

## MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/dirinaria-aegialita/>

## PDF DATE

25 May 2026



Local on coastal boulders under pōhutukawa above high tide line, Bream Head Whangārei. Photographer: Marley Ford, Date taken: 27/12/2023, Licence: CC BY.



Local on coastal boulders under pōhutukawa above high tide line, Bream Head Whangārei. Photographer: Marley Ford, Date taken: 27/12/2023, Licence: CC BY.