# **Epilobium porphyrium**

## **COMMON NAME**

willowherb

#### **FAMILY**

Onagraceae

## **AUTHORITY**

Epilobium porphyrium G.Simpson

## **FLORA CATEGORY**

Vascular - Native

#### **ENDEMIC TAXON**

Yes

## **ENDEMIC GENUS**

Nο

## **ENDEMIC FAMILY**

No

## STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

# **NVS CODE**

**EPIPOR** 

## **CHROMOSOME NUMBER**

2n = 36

## **CURRENT CONSERVATION STATUS**

2017 | Not Threatened

# **PREVIOUS CONSERVATION STATUSES**

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

## **FLOWER COLOURS**

Red/Pink

## LIFE CYCLE

Minute pappate seeds are wind dispersed (Thorsen et al., 2009).

## **ETYMOLOGY**

epilobium: From the Greek epi- 'upon' and lobos 'a pod', the flowers appearing to be growing on the seed pod.

porphyrium: Purple-red, the colour of porphyry

# REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 11: 285-309

## **MORE INFORMATION**

https://www.nzpcn.org.nz/flora/species/epilobium-porphyrium/





Craigieburn, Canterbury. Photographer: Jane Gosden, Date taken: 08/01/2011, Licence: CC BY-NC-SA.



Craigieburn, Canterbury. Photographer: Jane Gosden, Date taken: 30/12/2010, Licence: CC BY-NC-SA.