Euchiton ruahinicus

SYNONYMS

Gnaphalium audax subsp. ruahinicum D.G.Drury, Gnaphalium ruahinicum (D.Drury) C.J.Webb,

FAMILY Asteraceae

AUTHORITY Euchiton ruahinicus (D.G.Drury) Breitw. et J.M.Ward

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON Yes

ENDEMIC GENUS No

ENDEMIC FAMILY No

STRUCTURAL CLASS Herbs - Dicotyledonous composites

NVS CODE EUCRUA

CHROMOSOME NUMBER 2n = 28

CURRENT CONSERVATION STATUS 2017 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened 2009 | Not Threatened 2004 | Not Threatened

WETLAND PLANT INDICATOR STATUS RATING

FACU: Facultative Upland Occasionally is a hydrophyte but usually occurs in uplands (non-wetlands).

LIFE CYCLE Pappate cypselae are dispersed by wind and water (Thorsen et al., 2009).

ETYMOLOGY

euchiton: From the Greek eu (good) and chiton (tunic or covering) **ruahinicus**: Named after the Ruahine Range, from the Maori ruahine 'old woman, wise woman'.

REFERENCES AND FURTHER READING

Reed, A. W. (2002). The Reed Dictionary of New Zealand Place Names. Reed PUblishing. Auckland. Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 11: 285-309

MORE INFORMATION

https://www.nzpcn.org.nz/flora/species/euchiton-ruahinicus/

