

Gleichenia dicarpa

COMMON NAME

Tangle fern, swamp umbrella fern

SYNONYMS

Gleichenia circinnata Sw.; *Gleichenia dicarpa* var. *hecostophylla* (A.Cunn.) G.Schneid.; *Gleichenia semi-vestita* var. *hecostophylla* (A.Cunn.) Hook.f.; *Gleicheniastrum hecostophyllum* var. *majus* (T.Moore) Nakai; *Gleichenia circinnata* var. *hecostophylla* (A.Cunn.) Hook.f.; *Gleichenia dicarpa* var. *major* T.Moore; *Gleicheniastrum hecostophyllum* (A.Cunn.) Nakai; *Mertensia dicarpa* (R.Br.) Poir.; *Platyzoma dicarpum* (R.Br.) Desv.; *Calymella dicarpa* (R.Br.) C.Presl; *Calymella major* Nakai; *Gleichenia hecostophylla* A.Cunn.

FAMILY

Gleicheniaceae

AUTHORITY

Gleichenia dicarpa R. Br.

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Ferns

NVS CODE

GLEDIC

CHROMOSOME NUMBER

2n = 40

CURRENT CONSERVATION STATUS

2012 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2009 | Not Threatened

2004 | Not Threatened

DISTRIBUTION


Indigenous. New Zealand. North, South, Stewart and Chathams Islands. Also Australia, New Caledonia, Philippines, Borneo and Malaysia

HABITAT

Coastal to subalpine in poorly draining soils, clay pans and pakihi and peat bogs. In lowland peat bogs often forming dense, almost impenetrable masses hence the common name “tangle fern”.



Kennedy Bay, September. Photographer: John Smith-Dodsworth



At Kennedy Bay, September. Photographer: John Smith-Dodsworth

FEATURES

Rhizome 1.5-3.0 mm diameter, at first bearing brown lanceolate ciliate scales. Fronds of 1-4 tiers of branches, 0.1-2.0 m or more long; lower tiers often branching, usually more than 150 mm wide. Stipes scattered along rhizomes, 0.6-0.95 m long, often bearing brown lanceolate ciliate scales; rachis bearing weak brown to white often matted stellate hairs and ciliate scales. Pinnules glabrous above or with scattered hairs along costa, with sparse or dense whitish to ferruginous scales along costa below; ultimate segments 0.8-1.5 mm long, 0.8-2.0 mm wide, more or less round, obtuse, flat or slightly convex above, pouched below; undersurface white, rarely green. Sori of 2 sporangia only. Description adapted from Chinnock & Bell (1998).

SIMILAR TAXA

Often confused with *Gleichenia microphylla* which is a taller plant, with ultimate segments flattened, and distinctly triangular, which are abaxially green (never white), and which bear 2-4 sporangia. *Gleichenia alpina* is very similar to *G. dicarpa* from which it differs by its consistently smaller fronds (rarely > 60 mm wide, and rounded rather than lanceolate scales. Recently it has been shown that *Gleichenia alpina* is present in New Zealand, though its exact distribution is still unclear (Perrie et al. 2007; Perrie et al. 2012). *Gleichenia inclusisora* differs from *G. dicarpa* (with which it often grows) by the sori which are embedded up to three-quarters of their depth into the undersides of the fronds, and also by the glossy rather than mostly dull upper frond surface.

FLOWERING

N.A.

FLOWER COLOURS

No flowers

FRUITING

N.A.

LIFE CYCLE

Minute spores are wind dispersed (Thorsen et al., 2009).

PROPAGATION TECHNIQUE

Fickle. Probably best left alone. Transplants have sometimes been successfully grown in shaded conditions with plants planted in an acid, poorly drained soil. But results vary and plants tend to resent any root disturbance

ETYMOLOGY

gleichenia: After the German naturalist and plant physiologist Wilhelm Friedrich (Baron) von Gleichen (1717-1783)

dicarpa: Two seeded; from the greek di and karpos; paired spore clusters

ATTRIBUTION

Fact sheet prepared for NZPCN by P.J. de Lange 15 March 2011. Description adapted from Chinnock & Bell (1998).

REFERENCES AND FURTHER READING

Chinnock, R.J.; Bell, G.H. 1998: Gleicheniaceae. Flora of Australia 48: 148-162.

Perrie, L.R.; Shephard, L.D.; Brownsey, P.J. 2012: *Gleichenia inclusisora*, a new and uncommon tangle fern from New Zealand. *New Zealand Journal of Botany* 50: 401-410.

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. *Perspectives in Plant Ecology, Evolution and Systematics* 11: 285-309

CITATION

Please cite as: de Lange, P.J. (Year at time of access): *Gleichenia dicarpa* Fact Sheet (content continuously updated). New Zealand Plant Conservation Network. <https://www.nzpcn.org.nz/flora/species/gleichenia-dicarpa/> (Date website was queried)

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/gleichenia-dicarpa/>