Hydrocotyle novae-zeelandiae var. novae-zeelandiae

FAMILY

Araliaceae

AUTHORITY

Hydrocotyle novae-zeelandiae DC. var. novae-zeelandiae

FLORA CATEGORY

Vascular - Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

Nο

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

NVS CODE

HYDNVN

CHROMOSOME NUMBER

2n = c.72

CURRENT CONSERVATION STATUS

2017 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

WETLAND PLANT INDICATOR STATUS RATING

FAC: Facultative

Commonly occurs as either a hydrophyte or non-hydrophyte (non-

wetlands).

LIFE CYCLE

Mericarps are dispersed by water and wind (Thorsen et al., 2009).

ETYMOLOGY

hydrocotyle : From the Greek hydor 'water' and cotyle 'cup', in reference

to the cup-like hollow at the base if the leaf.

novae-zeelandiae: Of New Zealand

EXTRA INFORMATION

Try this handy <u>Small-leaved Hydrocytle Identification Guide</u> put together by Chris Ecroyd for our July 2022 issue of Trilepidea (p. 5)





In cultivation ex Bethells Swamp. Photographer: Jeremy R. Rolfe, Date taken: 29/10/2007, Licence: CC BY.



In cultivation ex Bethells Swamp. Photographer: Jeremy R. Rolfe, Date taken: 21/10/2007, Licence: CC BY.

REFERENCES AND FURTHER READING

Johnson, A. T. and Smith, H. A (1986). Plant Names Simplified: Their pronunciation, derivation and meaning. Landsman Bookshop Ltd: Buckenhill, UK.

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 11: 285-309

MORE INFORMATION

https://www.nzpcn.org.nz/flora/species/hydrocotyle-novae-zeelandiae-var-novae-zeelandiae/