

Hypotrachyna minarum

BIOSTATUS

Native

CURRENT CONSERVATION STATUS

2018 | Data Deficient | Qualifiers: SO

CATEGORY

Lichen

STRUCTURAL CLASS

Lichens - Foliose

LICHEN SUBSTRATES

Corticolous (bark, wood), Saxicolous (rock)

SUBSTRATE DETAILS

Corticolous, rarely saxicolous

GENUS

Hypotrachyna

FAMILY

Parmeliaceae

AUTHORITY

Hypotrachyna minarum (Vain.) Krog & Swinscow

SYNONYMS

Parmelia minarum Vain., Parmelinopsis minarum (Vain.) Elix & Hale

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

REFERENCES AND FURTHER READING

Galloway D.J. 2007: *Flora of New Zealand: Lichens, including lichen-forming and lichenicolous fungi*. 2nd edition. Lincoln, Manaaki Whenua Press. 2261 pp.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/hypotrachyna-minarum/>

PDF DATE

27 May 2026



Corticolous on tanekaha windfall in ridge forest with Parmotrema reticulatum, Usnea rubicunda, graphid lichens and liverworts, Dargaville Northland. Photographer: Marley Ford, Date taken: 20/02/2024, Licence: CC BY.



Corticolous on tanekaha windfall in ridge forest with Parmotrema reticulatum, Usnea rubicunda, graphid lichens and liverworts, Dargaville Northland. Photographer: Marley Ford, Date taken: 20/02/2024, Licence: CC BY.