

Hypotrachyna osseoalba

COMMON NAMES

Wake turbulence

BIOSTATUS

Native

CURRENT CONSERVATION STATUS

2018 | At Risk – Naturally Uncommon | Qualifiers: DP, SO

CATEGORY

Lichen

STRUCTURAL CLASS

Lichens - Foliose

LICHEN SUBSTRATES

Corticolous (bark, wood), Saxicolous (rock)

SUBSTRATE DETAILS

Corticolous, saxicolous

GENUS

Hypotrachyna

FAMILY

Parmeliaceae

AUTHORITY

Hypotrachyna osseoalba (Vain.) Y.S.Park & Hale

SYNONYMS

Parmelia osseoalba Vain., Parmelia formosana Zahlbr., Hypotrachyna formosana (Zahlbr.) Hale

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

REFERENCES AND FURTHER READING

Galloway D.J. 1985: *Flora of New Zealand: Lichens*. Wellington: PD Hasselberg, Government Printer. 662 pp.

Galloway D.J. 2007: *Flora of New Zealand: Lichens, including lichen-forming and lichenicolous fungi*. 2nd edition. Lincoln, Manaaki Whenua Press. 2261 pp.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/hypotrachyna-osseoalba/>

PDF DATE

27 May 2026



Corticolous on pohutukawa, Misson Bay Auckland. Photographer: Marley Ford, Date taken: 14/10/2021, Licence: CC BY.



Corticolous on pohutukawa, Misson Bay Auckland. Photographer: Marley Ford, Date taken: 14/10/2021, Licence: CC BY.