

Leptinella intermedia

BIOSTATUS

Native – Endemic taxon

CURRENT CONSERVATION STATUS

2023 | Data Deficient | Qualifiers: PE

[Jump to previous conservation statuses](#)



CATEGORY

Vascular

STRUCTURAL CLASS

Herbs - Dicotyledonous composites

FLOWER COLOURS

Green, Yellow

DETAILED DESCRIPTION

Monoecious creeping, perennial herb forming small tufted patches in herb field turf. Rhizomes shallowly buried, initially dark, pliant, sparsely pilose hairy, becoming pale, stiff and glabrous; branches uncommon, usually single at flowering nodes; leaves spirally arranged, 1-2 at the apex, 5-10 mm part. Short shoots ascending from rhizome, bearing up to 5 tufted leaves at the apex. Roots slender, weak up to 0.6 mm diameter. Leaves 1-pinnatifid, 8-40 x 2-12 mm; blade 4-30 mm long. elliptic, coriaceous, light green, sometimes with brown pigmentation on proximal pinnae, glabrous; midrib sometimes raised on ventral surface; pinna 4-10 pairs, not overlapping, cut to rachis, elliptic; teeth usually few perpinna, up to 5 on distal margins and 3 on proximal, cut to 1/2 across pinna, triangular, obtuse. Peduncles glabrescent, villous, borne on rhizomes, more or less equal in length to leaves, 30 mm, ebracteate or bearing 1 simple bract. Capitula 4-5 mm diameter; surface convex; involucre hemispherical, involucre bracts 12, subequally 1-2-seriate, broadly elliptic, dark green, somewhat villous, with wide, brown scarious margins; pistillate florets up to 10 in an incomplete row, 2 mm long, almost straight, yellow-green; corolla slightly longer than wide, dentition equal; staminate florets similar, up to 40. Cypselas 1.3 x 0.9 mm, golden brown, biconvex, compressed, without wrinkles.

SIMILAR TAXA

Of uncertain status mostly resembling an F1 hybrid between *L. pusilla* Hook.f. and *L. pectinata* (Hook.f.) D.G.Lloyd et C.J.Webb subsp. *pectinata*. It is perhaps closest to glabrous forms of *L. pusilla* from which it mainly differs by its monoecious rather than dioecious flowering habit, glabrous, dark veined, rather coriaceous leaves, and higher chromosome number ($2n = 156$ cf. $2n = 104$). Since its formal description in 1972 this species has not been definitely collected since, searches of the only known habitat have only found occasional hybrids between *L. pusilla* and *L. pectinata* subsp. *pectinata*.

DISTRIBUTION

Endemic. South Island vicinity of Hakataramea Pass

HABITAT

Alpine (> c.1600 m a.s.l.) in wet flushes within herbfield and tussock grassland.

THREATS

Unknown. This species has not been reliably reported since it was described in 1972. Its assumed habitat is still present and intact but periodic searches have yet to find further plants.

GENUS

Leptinella

FAMILY

Asteraceae

AUTHORITY

Leptinella intermedia (D.G.Lloyd) D.G.Lloyd et C.J.Webb

SYNONYMS

Cotula intermedia D.G.Lloyd

TAXONOMIC NOTES

Leptinella intermedia was described by Lloyd (1972) from a single wild gathering and plants he grew from that and held in cultivation. Lloyd (1972) speculated that *L. intermedia* although now stable, had a hybrid origin, possibly involving *L. pectinata* and *L. pusilla*. Given (1981) noted that while the species had not been seen again, superficially similar plants had been found at the type locality, and he too speculated that the species may be a hybrid - and not in this case stable. Subsequently de Lange et al. (2013) rejected this species on the grounds that it was a hybrid. However, as doubt still remains it seems preferable to retain this species for now, pending a more thorough investigation of the problem. Indeed all of the New Zealand members of *Leptinella* are now in need of a modern taxonomic revision, with major taxonomic issues evident in the *L. dioica*, *L. squalida* complexes as well as problems like that described here for *L. intermedia*. As retention of the species is advocated, *Leptinella intermedia*, using Townsend et al. (2008) is given an interim threat status of 'Data Deficient', a conservation ranking that requires formal ratification when the New Zealand Indigenous Vascular Plant Threat Listing Panel next meet.

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

FLOWERING

December

FRUITING

January - March

LIFE CYCLE AND DISPERSAL

Papery cypselae are dispersed by wind and possibly attachment (Thorsen et al., 2009).

PROPAGATION TECHNIQUE

Plants were cultivated prior to their formal description in 1972 but no records of how they were grown seem to have been kept. Probably easy from rooted pieces.

ETYMOLOGY

leptinella: From the Greek word leptos (meaning slender, thin or delicate), referring to the ovary

NVS CODE

LPTINT

CHROMOSOME NUMBER

2n = 156

PREVIOUS CONSERVATION STATUSES

2017 | Data Deficient

2015 | Data Deficient

2012 | Not Threatened

2009 | Not Threatened

2004 | Data Deficient

[Jump to current conservation status](#)

REFERENCES AND FURTHER READING

- de Lange, P.J.; Rolfe, J.R.; Champion, P.D.; Courtney, S.P.; Heenan, P.B.; Barkla, J.W.; Cameron, E.K.; Norton, D.A.; Hitchmough, R.A. 2013: Conservation status of New Zealand indigenous vascular plants, 2012. *New Zealand Threat Classification Series 3*. Department of Conservation, Wellington.
- Given, D.R. 1981: Rare and Endangered plants of New Zealand. Reed. Auckland.
- Lloyd, D.G. 1972: A revision of the New Zealand, Subantarctic, and South American species of *Cotula*, section *Leptinella*. *New Zealand Journal of Botany* 10: 277-372.
- Townsend, A.J.; de Lange, P.J.; Norton, D.A.; Molloy, J.; Miskelly, C.; Duffy, C. 2008: The New Zealand Threat Classification System manual. Wellington, Department of Conservation.

ATTRIBUTION

Fact sheet prepared for NZPCN by P.J. de Lange 31 August 2006. Description from Lloyd (1972) - as *Cotula intermedia*.

NZPCN FACT SHEET CITATION

Please cite as: de Lange, P.J. (Year at time of access): *Leptinella intermedia* Fact Sheet (content continuously updated). New Zealand Plant Conservation Network. <https://www.nzpcn.org.nz/flora/species/leptinella-intermedia/> (Date website was queried)

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/leptinella-intermedia/>

PDF DATE

25 May 2026