

Morelotia affinis

COMMON NAMES

morelotia

BIOSTATUS

Native – Endemic taxon

CURRENT CONSERVATION STATUS

2023 | Not Threatened

[Jump to previous conservation statuses](#)

CATEGORY

Vascular

STRUCTURAL CLASS

Sedges

DETAILED DESCRIPTION

Harsh, leafy tufted perennial sedge 200–700 mm tall. **Rootstock**, stout, lignaceous. **Leaves** numerous, » culms, 200–620 × 4–8 mm, green to yellow-green (rarely dark green), flat, curving, scabrid on the abaxial, tapering to a filiform apex, this usually curled when dry; margins scabrid, strongly revolute in the long persistent dry old leaves; sheath rather short compared to lamina, not demarcated from lamina by any transverse line but merely becoming broader, cream, with membranous margins. **Panicle** erect, rigid, 60–300 mm long, with short, more or less distant branchlets subtended by rigid, scabrid, leaf-like bracts. **Spikelets** 6.5–10.0 mm long, narrow-lanceolate, shortly stalked. **Glumes** coriaceous, minutely puberulous, keel and margins finely scabrid; 4 outer glumes smaller, increasing in size, usually acuminate, 2 upper glumes much longer, acute, rigid; a seventh minute membranous glume subtending the uppermost sterile flower. **Nut** 2.5–3.0 × 1.5 mm, elliptic-oblong, lustrous red-brown to black, with 3 longitudinal ribs, surmounted by a thickened, corky style-base which is very distinct in the immature fruit; ripe fruit retained on plant for a time by being entangled in the slightly elongated staminal filaments.

SIMILAR TAXA

Rather close to *Gahnia* J.R.Forst. et G.Forst. from which it is best distinguished by the smaller stature and by the distichous arrangement of the glumes. Some botanists regard *Morelotia* as indistinguishable from *Gahnia*, treating the New Zealand plant as *Gahnia affinis* (Brong.) Steud.

DISTRIBUTION

Endemic. North Island, South Island from Te Pahi south to south-west Nelson.

HABITAT

Coastal to montane. usually on steep clay banks and hillsides in gumland scrub, shrublands and other regenerating mainly indigenous vegetation. Sometimes in pine plantations. Also colonising steep rock faces, gorges and boulder falls.

GENUS

Morelotia

FAMILY

Cyperaceae



Coromandel. February. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.



Coromandel. February. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.

AUTHORITY

Morelotia affinis (Brong.) Blake

SYNONYMS

Lampocarya affinis Brong.; *Morelotia gahniaeformis* Gaud. var. *minor* A.Rich.; *Gahnia arenaria* Hook.f.; *Mariscus affinis* (Brong.) Kuntze; *Machaerina affinis* (Brong.) Kern

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

FLOWERING

October–December

FRUITING

November–April (but old inflorescences present throughout the year)

PROPAGATION TECHNIQUE

Very difficult to cultivate. The seed is difficult to germinate and plants resent root disturbance, so usually die if transplanted. However, considerable success has been achieved growing plants and germinating seed in untreated saw dust. Although tricky this is a species worth persevering with, as it has an attractive form and once established is very drought resistant. It does best in full sun on rock or planted within a poorly drained clay soils.

ETYMOLOGY

affinis: From the Latin *ad* + *finis* 'to the boundary', means 'neighbouring', 'allied to', 'akin to'

NVS CODE

MORAFF

CHROMOSOME NUMBER

2n = 46

PREVIOUS CONSERVATION STATUSES

2017 | Not Threatened

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

[Jump to current conservation status](#)

REGIONAL CONSERVATION STATUSES

Auckland: 2025 | Regionally Not Threatened [Help](#)

The regional threat classification system leverages off the national assessments in the NZTCS, providing information relevant for the regional context. Auckland conservation status information is sourced from the "[Conservation status of vascular plant species in Tāmaki Makaurau / Auckland](#)" Simpkins E et al. (2025) report.

REFERENCES AND FURTHER READING

Moore LB, Edgar E. 1970. *Flora of New Zealand*, Volume II. Indigenous Tracheophyta: Monocotyledones except Gramineae. Government Printer, Wellington, NZ. 354 p.

ATTRIBUTION

Description adapted from Moore and Edgar (1970)

Some of this factsheet information is derived from [Flora of New Zealand Online](#) and is used under a [Creative Commons Attribution 3.0 New Zealand](#) licence.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/morelotia-affinis/>

