

# Myosotis brockiei subsp. dysis

## BIOSTATUS

Native

## CURRENT CONSERVATION STATUS

2023 | Threatened – Nationally Vulnerable | Qualifiers: DPS, OL

[Jump to previous conservation statuses](#)

## CATEGORY

Vascular

## STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

## FLOWER COLOURS

White, Yellow

## DISTRIBUTION

Found in a small area between the south end of Whanganui Inlet and Sandhills Creek on the North-west coast of the upper South Island. There is a possible outlier population near Charleston further down the west coast but no plants have been found at this location in recent times to confirm its similarity.

## HABITAT

Found on, and under partially shaded lowland limestone bluffs.

## SUBSTRATE DETAILS

Limestone

## GENUS

Myosotis

## FAMILY

Boraginaceae

## AUTHORITY

*Myosotis brockiei* subsp. *dysis* Courtney & Meudt

## ENDEMIC GENUS

No

## ENDEMIC FAMILY

No

## ETYMOLOGY

**myosotis:** Mouse-eared

## PREVIOUS CONSERVATION STATUS

2017 | Threatened – Nationally Vulnerable | Qualifiers: OL

[Jump to current conservation status](#)

## MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/myosotis-brockiei-subsp-dysis/>

## PDF DATE

25 May 2026

