

Notoparmelia cunninghamii

BIOSTATUS

Native

CURRENT CONSERVATION STATUS

2018 | Not Threatened | Qualifiers: SO

CATEGORY

Lichen

STRUCTURAL CLASS

Lichens - Foliose

LICHEN SUBSTRATES

Corticolous (bark, wood), Saxicolous (rock)

SUBSTRATE DETAILS

Corticolous, rarely saxicolous

GENUS

Notoparmelia

FAMILY

Parmeliaceae

AUTHORITY

Notoparmelia cunninghamii (Cromb.) A. Crespo, Ferencova & Divakar

SYNONYMS

Parmelia (*Hypotrachyna*) brownii

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

ETYMOLOGY

cunninghamii: Named after Allan Cunningham (1791–1839) who was an English botanist and explorer, primarily known for his travels to Australia (New South Wales) and New Zealand to collect plants. Author of *Florae Insularum Novae Zelandiae Precursor*, 1837–40 (Introduction to the flora of New Zealand).

NVS CODE

NOTCUN

REFERENCES AND FURTHER READING

Galloway D.J. 1985: *Flora of New Zealand: Lichens*. Wellington: PD Hasselberg, Government Printer. 662 pp.
Galloway D.J. 2007: *Flora of New Zealand: Lichens, including lichen-forming and lichenicolous fungi*. 2nd edition. Lincoln, Manaaki Whenua Press. 2261 pp.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/notoparmelia-cunninghamii/>

PDF DATE

27 May 2026



Corticolous on raukawa in scrubby clearing, Tutamoe Far North. Photographer: Marley Ford, Date taken: 22/12/2021, Licence: CC BY-NC.



Corticolous on raukawa in scrubby clearing, Tutamoe Far North. Photographer: Marley Ford, Date taken: 22/12/2021, Licence: CC BY-NC.