# Olearia coriacea

## **FAMILY**

Asteraceae

#### **AUTHORITY**

Olearia coriacea Kirk

## **FLORA CATEGORY**

Vascular - Native

## **ENDEMIC TAXON**

Yes

#### **ENDEMIC GENUS**

Nο

## **ENDEMIC FAMILY**

No

## STRUCTURAL CLASS

Trees & Shrubs - Dicotyledons

## **NVS CODE**

**OLECOR** 

## **CHROMOSOME NUMBER**

2n = 108

## **CURRENT CONSERVATION STATUS**

2017 | At Risk - Naturally Uncommon | Qualifiers: DP, Sp

## **PREVIOUS CONSERVATION STATUSES**

2012 | At Risk - Naturally Uncommon | Qualifiers: Sp

2009 At Risk – Naturally Uncommon

2004 | Not Threatened

# **BRIEF DESCRIPTION**

Shrub with saddle-shaped leathery leaves on stout fuzzy twigs inhabiting south Marlborough and northern Canterbury. Leaves 10-25mm long, by 8-15mm wide, margin curved under and sides also droop giving the leaf a saddle shape. Flowers white, narrow, in small clusters. Seeds fluffy.

## **FLOWER COLOURS**

White

## **ETYMOLOGY**

**olearia**: Named after Johann Gottfried Olearius, a 17th-century German scholar, writer of hymns and author of Specimen Florae Hallensis

coriacea: Leathery

## **MORE INFORMATION**

https://www.nzpcn.org.nz/flora/species/olearia-coriacea/





Seed heads, Ex Cult. June 2006, Waima (Ure) River, Marlborough. Photographer: Peter J. de Lange, Licence: CC BY-NC.



Sawcut Gorge. Photographer: Melissa Hutchison, Licence: CC BY-NC.