

Pannaria farinosa

BIOSTATUS

Native

CURRENT CONSERVATION STATUS

2018 | Not Threatened | Qualifiers: SO

CATEGORY

Lichen

STRUCTURAL CLASS

Lichens - Foliose

LICHEN SUBSTRATE

Corticolous (bark, wood)

SUBSTRATE DETAILS

Corticolous

GENUS

Pannaria

FAMILY

Pannariaceae

AUTHORITY

Pannaria farinosa Elvebakk & Fritt-Rasm.

SYNONYMS

Psoroma isidiosum, Psoroma leprolomum, Pannaria isidiosa

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

ETYMOLOGY

farinosa = fine, mealy texture. Because of the characteristic fine-textured soralia of the species

REFERENCES AND FURTHER READING

Elvebakk A. and Fritt-Rasmussen J. 2007: The New Zealand lichen *Pannaria leproloma* (Nyl.) PM Jørg. and its panaustral relative *P. farinosa* nom. nov. *The Lichenologist* 39(4): 349-359.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/pannaria-farinosa/>

PDF DATE

27 May 2026



Dunsdale Recreation Reserve, Southland.
Photographer: Melissa Hutchison, Date taken:
18/11/2019, Licence: CC BY-NC.



Corticolous, Stewart Island. Photographer:
Marley Ford, Date taken: 10/04/2021, Licence:
CC BY-NC.