

Sticta menziesii

BIOSTATUS

Native

CURRENT CONSERVATION STATUS

2018 | Not Threatened

CATEGORY

Lichen

STRUCTURAL CLASS

Lichens - Foliose

LICHEN SUBSTRATE

Corticolous (bark, wood)

SUBSTRATE DETAILS

Corticolous

GENUS

Sticta

FAMILY

Peltigeraceae

AUTHORITY

Sticta menziesii Hook.f. & Taylor

SYNONYMS

Sticta latifrons, Sticta menziesii var. dissecta, Sticta menziesii var. ochroleuca, Sticta menziesii var. palmata

ENDEMIC TAXON

Indeterminate

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

ETYMOLOGY

sticta: spotted, dappled

NVS CODE

STIMEN

REFERENCES AND FURTHER READING

Hooker J.D. 1847: Botany of the Antarctic Voyage of H. M. Discovery Ships, Erebus and Terror Under the Command of Captain Sir J.C. Ross, 1839-43 · Volume 1, Part 1. London.

Ranft H., Moncada B., de Lange P.J., Lumbsch H.T., and Lucking R. 2018: The *Sticta filix* morphodeme (Ascomycota: Lobariaceae) in New Zealand with the newly recognized species *S. dendroides* and *S. menziesii*: indicators of forest health in a threatened island biota? *The Lichenologist* 50(2): 185-210.

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/sticta-menziesii/>

PDF DATE

25 May 2026



Corticolous. Waima, Northland. Photographer: Marley Ford, Licence: Public domain.



Thallus underside. Waima, Northland. Photographer: Marley Ford, Licence: Public domain.