

Utricularia dichotoma subsp. novae-zelandiae

SYNONYMS

Utricularia novae-zelandiae Hook.f.; *Utricularia monanthos* Hook.f.,
Utricularia dichotoma Labill.

FAMILY

Lentibulariaceae

AUTHORITY

Utricularia dichotoma subsp. *novae-zelandiae* (Hook.f.) R.W.Jobson

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

NVS CODE

UTRDIC

CURRENT CONSERVATION STATUS

2012 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2009 | Not Threatened

2004 | Not Threatened

DISTRIBUTION

Indigenous. New Zealand and New Caledonia. In New Zealand widespread from Te Pahi south to Stewart Island. Absent from the Chatham Islands.

FLOWER COLOURS

Violet/Purple, White

ETYMOLOGY


utricularia: A small bladder

dichotoma: Forked or divided into pairs

novae-zelandiae: Of New Zealand

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/utricularia-dichotoma-subsp-novae-zelandiae/>



Lammerlaw Range. Photographer: John Barkla



Karikari Peninsula. Oct 2008. Photographer: Jeremy Rolfe