

WANGANUI PLANT LIST NO. 28A

**Higher plants of Paengaroa Scenic Reserve, Mataroa and adjoining DoC-managed land,
north-west of Taihape, 510-706m (Grid ref. NZMS260, T21/435700).**

A P Druce & C C Ogle

Last revised: 14 January 2000

Species in bold are found also in Dean Burn, western Southland (B Rance, G Rogers)

Based upon Plant List No. 171 of A P Druce, Botany Division, DSIR.

Up-dated by C C Ogle, Department of Conservation, Wanganui (additions of indigenous plants since 1989, plus adventive plants and common names).

* = adventive species

unc = uncommon (only one or a few individuals seen, or a very localised colony)

Gymnosperm Trees

Dacrycarpus dacrydioides

Dacrydium cupressinum (unc)

Libocedrus bidwillii (unc)¹

Podocarpus hallii (unc)

P. totara s.s.

Prumnopitys ferruginea (unc)

P. taxifolia

kahikatea

rimu

pahautea (kaikawaka)

Hall's totara

totara

miro

matai

Monocot Tree

Cordyline australis

cabbage tree, ti kouka

Dicot Trees

* Acer pseudoplatanus²

Aristotelia serrata

Beilschmiedia tawa³

Carpodetus serratus

Elaeocarpus hookerianus

* Euonymus europaeus

Fuchsia excorticata (unc)

Griselinia littoralis

Hoheria angustifolia

H. populnea var. lanceolata

H. angustifolia x H. populnea (unc)

* Ilex aquifolium (unc - seedlings only)

* Ligustrum vulgare (unc)

Lophomyrtus obcordata

Melicytus lanceolatus (incl. M.l. var. latior)

M. ramiflorus ssp. ramiflorus

Myrsine australis (unc)

Nestegis cunninghamii

sycamore

wineberry, makomako

tawa

putaputaweta

pokaka

spindleberry

kotukutuku

broadleaf, puka

narrow-leaved lacebark

lacebark

holly

common privet

rohutu

narrow-leaved mahoe

mahoe

mapou

black maire

¹ Single tree found Jan 1997

² Eradication of woody weeds began in earnest in 1995, though seedlings of many had been removed during ivy control since 1990.

³ One juv.; 26.8.99

N. lanceolata	white maire
Olearia rani var. colorata (unc)	heketara
Pennantia corymbosa	kaikomako
Pittosporum eugeniooides	lemonwood, tarata
P. tenuifolium ssp. tenuifolium	kohuhu
Plagianthus regius var. regius	ribbon wood
* Prunus laurocerasus	cherry laurel
* P. sp (P. cerasifera?).	plum
Pseudopanax arboreus var. arboreus	five finger
P. crassifolius	lancewood, horoeka
* Salix fragilis	crack willow
* S. X reichardtii (unc)	pussy willow
* Sambucus nigra	elderberry
Schefflera digitata	pate
Sophora microphylla	kowhai
* Sorbus aucuparia	rowan
Streblus heterophyllus	small-leaved milk tree

Dicot Shrubs

Alseuosmia pusilla	
Aristotelia fruticosa var. microphylla	mountain wineberry
A. fruticosa x A.serrata (unc)	
Brachyglottis repanda s.s.	rangiora
* Berberis glaucocarpa (unc)	barberry
Carmichaelia australis var. (incl.	
C. flagelliformis and C. hookeri)	NZ broom
Coprosma crassifolia (unc)	
C. grandifolia	kanono, raurekau
C. linariifolia	
C. lucida s.s.	shining karamu
C. obconica ssp. obconica	
C. propinqua ssp. propinqua (incl. C.p. var.	
latiuscula)	
C. rhamnoides ssp. rhamnoides (incl. C. polymorpha)	
C. rigida	
C. robusta	karamu
C. rotundifolia	
C. rubra	
C. tenuifolia	
C. virescens	
C. wallii	
C. sp. (unnamed; included in C. parviflora	
by Oliver, 1935, and others). (Leaf under-	
surface not minutely hairy as is usual in	
C. parviflora; drupes usually unpigmented, occ.	
purplish red or yellow)	
C. propinqua x C. robusta (unc)	
C. propinqua x C. tenuifolia (unc)	
Coriaria arborea (unc)	tutu
Corokia cotoneaster var. cotoneaster	korokio
* Cotoneaster franchetii	cotoneaster

* <i>C. simonsii</i>	cotoneaster
* <i>Cytisus scoparius</i>	broom
Fuchsia excorticata x F. perscandens (unc)	
<i>Gaultheria antipoda</i> (unc)	snowberry
<i>Hebe stricta</i> var. <i>stricta</i>	koromiko
<i>Helichrysum aggregatum</i> var. <i>aggregatum</i> (unc)	
<i>Korthalsella lindsayi</i> s.s. (unc) ⁴	
K. clavata (unc)⁵	
<i>Kunzea ericoides</i> var. (unc)	kanuka
Leptospermum scoparium var.	manuka
<i>Leucopogon fasciculatus</i> (unc)	mingimingi
* <i>Leycesteria formosa</i> (unc)	Himalayan honeysuckle
* <i>Lupinus arboreus</i> (unc)	shrub lupin
* <i>Mahonia</i> sp (unc)	
Melicope simplex	poataniwha
Melicytus flexuosus	flexuose mahoe
<i>M. micranthus</i> (incl <i>M.m.</i> var. <i>microphyllus</i>)	small-leaved mahoe
<i>M. micranthus</i> x <i>M. ramiflorus</i> (unc)	
<i>M. flexuosus</i> x <i>M. lanceolatus</i> (unc)	
Myrsine divaricata s.s.	weeping mapou
Neomyrtus pedunculata	
<i>Olearia hectorii</i> var. (= <i>O. gardneri</i>) (unc)	
<i>O. solandri</i>	
<i>O. virgata</i> var. <i>virgata</i> (incl. <i>O v.</i> var. <i>ramuliflora</i>)	
Pittosporum obcordatum (unc)	
Pseudopanax anomalus	
Pseudowintera colorata	horopito
* <i>Ribes uva-crispa</i>	gooseberry
* <i>R. alba</i>	red currant
* <i>Symporicarpus albus</i> (unc)	snowberry bush
<i>Teucrium parvifolium</i> (incl. <i>T. p.</i> var. <i>luxurians</i>)	
Tuepeia antarctica ⁶ (unc)	pirita (a mistletoe)
<i>Urtica ferox</i> (unc)	shrub nettle, ongaonga

Dicot Lianes

<i>Brachylottis sciadophila</i> (unc)	
<i>Calystegia tuguriorum</i>	convolvulus
<i>Clematis foetida</i>	
<i>C. forsteri</i>	
<i>C. paniculata</i> (unc)	
Fuchsia perscandens	climbing fuchsia
* <i>Hedera helix</i> ⁷	ivy

⁴ On *Melicope simplex*, *Coprosma obconica*, *C. linariifolia*, *C. virescens* (and on *Lophomyrtus*, on private land near the reserve)

⁴ On *Coprosma wallii*, *C. propinqua* and *Muehlenbeckia australis* (and maybe *Myrsine divaricata* - a single minute mistletoe was found on one shrub of *M. divaricata*).

⁶ Listed by Druce (1978, revised 1990) but first seen by DoC in Oct 1996, as young shoots on branches of many of the large trees of *Nestegis cunninghamii*, found on windfall *Pittosporum eugenioides* on 4 March 1997.

Metrosideros colensoi (incl. M. c. var. pendens) (unc)	white rata vine
M. diffusa (unc)	white rata vine
Muehlenbeckia australis	pohuehue
M. complexa (unc)	small-leaved pohuehue
M. australis x M. complexa (unc)	
Parsonisia capsularis	NZ jasmine
P. heterophylla (unc)	NZ jasmine
Rubus cissoides var. (leaflets narrower than in var. cissoides)	lawyer
* R. fruticosus agg.	blackberry
R. schmideliooides var. schmideliooides	lawyer
R. squarrosus (unc)	leafless lawyer
* Solanum dulcamara	bittersweet
* Tropaeolum speciosum	Chilean flame creeper

Lycopods

Lycopodium varium (incl. billardierei and L. novo-zelandicum)(unc)	club moss
---	-----------

Ferns

Adiantum cunninghamii (unc)	maidenhair fern
Asplenium bulbiferum s.s. (unc)	hen-and-chicken fern
A. colensoi (unc)	
A. flabellifolium agg. (unc)	necklace fern
A. flaccidum	hanging spleenwort
A. gracillimum	
A. hookerianum (unc)	
A. oblongifolium (unc)	shining spleenwort
A. polyodon	sickle spleenwort
A. flaccidum x A. gracillimum (unc)	
Blechnum chambersii	
B. colensoi (unc)	
B. fluviatile agg.	
B. membranaceum (unc)	
B. minus (of NZ authors) (unc)	swamp kiokio
B. novae-zelandiae	kiokio
B. penna-marina	
B. triangularifolium	cliff kiokio
B. vulcanicum (unc)	
B. chambersii x B. membranaceum	
Botrychium bifforme (unc)	parsley fern
Ctenopteris heterophylla	
Cyathea dealbata (unc)	ponga
C. medullaris (unc)	mamuka
C. smithii (unc)	katote, soft tree fern

⁷ Eradication commenced Oct. 1990

Dicksonia fibrosa	wheki-ponga
D. squarrosa (unc)	wheki
Diplazium australe (unc)	
Grammitis billardierei (unc)	
G. ciliata (unc)	
Histiopteris incisa (unc)	water fern
Hymenophyllum flabellatum (unc)	filmy fern
H. multifidum (unc)	filmy fern
H. rarum (unc)	filmy fern
H. villosum ⁸	filmy fern
Hypolepis millefolium	
H. rufobarbata (unc)	
Lastreopsis glabella (unc)	
Leptopteris hymenophylloides	
L. superba (unc)	Prince of Wales feathers
Paesia scaberula	ring fern
Pellaea rotundifolia	button fern
Phymatosorus pustulatus	hound's tongue
Pneumatopteris pennigera	
Polystichum richardii	hard shield fern
P. sylvaticum	
P. vestitum	
Pteridium esculentum	bracken
Pyrrosia eleagnifolia	leather-leaf fern
Trichomanes venosum (unc)	bristle fern

Orchids

Corybas macranthus (unc)	spider orchid
C. sp. (unidentified; listed as C. rivularis by Druce(unc))	spider orchid
C. trilobus s.s. (unc)	spider orchid
Earina autumnalis	
E. mucronata s.s.	
Gastrowia cunninghamii (unc)	purei
Microrhynchium unifolia	onion-leaved orchid
Pterostylis banksii (unc)	green hood orchid
P. sp. (unnamed; aff. P. montana)	green hood orchid
Thelymitra longifolia (unc)	sun orchid

Grasses

Anemanthele lessoniana (unc)	wind grass
* Anthoxanthum odoratum	sweet vernal
Cortaderia fulvida	toetoe
* Dactylis glomerata	cocksfoot
Dichelachne crinita (unc)	plume grass
Echinopogon ovatus	hedgehog grass
* Festuca arundinacea	tall fescue
* Holcus lanatus	Yorkshire fog

⁸ A P Druce recorded "Hymenophyllum sanguinolentum agg". As this may have been *H. villosum*, only the latter species is retained in this list in the meantime .

<i>Microlaena avenacea</i>	bush rice grass
<i>M. stipoides</i>	meadow rice grass
<i>Poa anceps</i> ssp. <i>anceps</i>	
P. imbecilla	
<i>P. matthewsii</i>	
* <i>P. trivialis</i>	
<i>Rytidosperma clavatum</i>	danthonia
<i>R. unarede</i>	danthonia
<i>Stenostachys gracilis</i> (unc)	
<i>Trisetum lepidum</i>	

Sedges

<i>Carex breviculmis</i> (unc)	
C. dissita s.s.	
<i>C. flagellifera</i>	
<i>C. forsteri</i>	
C. geminata s.s.	
<i>C. inversa</i> (unc)	
<i>C. lambertiana</i>	
C. secta s.s. (unc)	
<i>C. solandri</i>	
C. virgata	
Eleocharis acuta (unc)	sharp spike edge
<i>Isolepis habra</i> (unc)	
<i>I. pottsii</i> (unc)	
<i>I. reticularis</i>	
<i>Uncinia affinis?</i>	
<i>U. distans</i>	
<i>U. ferruginea</i>	hook grass
<i>U. laxiflora</i>	hook grass
<i>U. rupestris</i> (incl. <i>U. angustifolia</i>) (unc)	hook grass
<i>U. scabra</i>	hook grass
U. uncinata	hook grass

Rushes

<i>Juncus australis</i>	
<i>J. distegus</i>	
J. gregiflorus	
<i>J. pallidus</i> (unc)	
<i>J. sarophorus</i> (unc)	
<i>Luzula picta</i> s.s.	wood rush
<i>L. subclavata</i> (unc)	wood rush

Monocot Herbs (other than Orchids, Grasses, Sedges, Rushes)

<i>Arthropodium candidum</i>	
Astelia fragrans	
<i>Colospermum microspermum</i>	
* <i>Crocosmia x crocosmiiflora</i>	montbretia
<i>Dianella nigra</i> (unc)	
* <i>Iris foetidissima</i> (unc)	stinking iris

<i>Libertia ixiooides</i> (unc)	bush iris
<i>Phormium cookianum</i>	mountain flax, wharariki
P. tenax (unc)	flax, harakeke

Composite Herbs

<i>Anaphalioides trinervis</i> (unc)	
<i>A. subrigida</i> (unc)	
* <i>Arctium minus</i>	burdock
<i>Gnaphalium gymnocephalum</i> (unc)	cudweed
G. limosum s.s. (unc)	cudweed
* <i>Hypochoeris radicata</i>	catsear
<i>Lagenifera pumila</i> (unc)	
L. strangulata (unc)	
* Mycelis muralis	wall lettuce
<i>Pseudognaphalium</i> sp. (P. luteoalbum agg.)(lvs mostly linear-spathulate to linear, acute)(incl. <i>Gnaphalium luteoalbum</i> var. <i>incanum</i>)	cudweed
Senecio minimus (unc)	
<i>S. rufiglandulosus</i> var. <i>rufiglandulosus</i>	
* <i>Taraxacum officinale</i>	dandelion

Dicot Herbs (Other than Composites)

<i>Aciphylla</i> sp. (unnamed; aff. <i>A. squarrosa</i>) (unc)	spear grass
Acaena anserinifolia	bidibidi (piripiri)
A. juvenca	bidibidi (piripiri)
<i>Australina pusilla</i>	
Callitriche petriei ssp. petriei	
Cardamine sp. (i)(C. <i>debilis</i> agg.)	
("Narrow Petal" of Pritchard 1957) ?(C. <i>debilis</i>)	
C. sp. (ii)(C. <i>debilis</i> agg.)("Long Style" of Pritchard)	
C. sp. (iii)(cf. <i>C. corymbosa</i>)	
* <i>Conium maculatum</i>	hemlock
<i>Epilobium alsinoides</i> s.s. (unc)	willow herb
<i>E. insulare</i> (ovate-lvd form - see Raven & Raven, 1976, p. 158)(unc)	willow herb
<i>E. nerteroides</i> (unc)	willow herb
E. nummulariifolium (unc)	willow herb
<i>E. pedunculare</i> (unc)	willow herb
<i>E. rotundifolium</i>	willow herb
* <i>Galium aparine</i>	cleavers
Geranium microphyllum (unc)	
<i>Gonocarpus aggregatus</i> (unc)	
<i>Haloragis erecta</i> ssp. <i>erecta</i> (unc)	
<i>Hydrocotyle elongata</i>	pennywort
H. heteromeria	pennywort
H. moschata (unc)	pennywort

H. novae-zealandiae s.s. (unc)	pennywort
* <i>Mentha spicata</i> subsp. <i>spicata</i>	spearmint
* <i>Mimulus guttatus</i>	monkey musk
<i>Myosotis</i> sp. (cf. <i>M. forsteri</i>)(unc)	forget-me-not
Nertera depressa (incl. N. cunninghamii)(unc)	
Oxalis exilis	
<i>O. magellanica</i> agg. (unc)	
<i>Parietaria debilis</i> (unc)	
<i>Pelargonium inodorum</i> ⁹	
* <i>Pentaglottis sempervirens</i> (unc)	alkanet
<i>Plantago raoulii</i> var. (lvs narrowly elliptic)	
<i>Pratia angulata</i> agg.	
<i>Ranunculus reflexus</i> (unc)	bush buttercup
* R. repens	creeping buttercup
* <i>Rumex crispus</i>	curled dock
R. flexuosus (unc)	NZ dock
Schizeilema trifoliolatum (unc)	
Stellaria decipiens (incl. S. parviflora)	NZ chickweed
Urtica incisa	nettle
<i>Viola filicaulis</i>	NZ violet
V. lyallii (unc)	NZ violet
<i>Wahlenbergia rupestris</i> (unc)	harebell

Total indigenous species of Paengaroa Scenic Reserve (incl. Te Kapua Conservation Area and the adjoining road reserve) = 242

Additional indigenous species in nearby forest remnants (these species are listed in Druce's plant list 171, but are probably not in Paengaroa SR

Ferns

Azolla filiculoides

Hypolepis ambigua

Sedge

Carex maorica

Other monocot herbs

Lemna sp. (L. minor auct. NZ)

Wolffia australiana

Dicot herbs

Lagenifera petiolata

Ranunculus sp. (R. amphitrichus or R. glabrifolius)

Pelargonium inodorum

Total of indigenous species in and around forest remnants of the Mataroa area = 249

⁹ 1 plant found Dec. 1999, on edge of new track from Mataroa village to the footbridge. Presumably adventive to this site, though it's not a common species in the region.