

(82)

INDIGENOUS HIGHER PLANTS (PSILOPSIDS, LYCOPODS, FERNS, GYMNOSPERM FLOWERING PLANTS) NEAR THE COAST, FROM HICKS BAY<sup>1</sup>, TO EAST CAPE<sup>2</sup>, INCLUDING "TE ARAROA HILL"<sup>3</sup>, SEA LEVEL TO 900 FT (275 M)

<sup>1</sup> Grid ref. N63 70-69-


<sup>2</sup> Grid ref. N63 94-54- N63 945 545 ✓

<sup>3</sup> Grid ref. N63 76-60-

A.P.Druce, Botany Division, D.S.I.R., 1972 (revised June 1974,  
 July 1976,  
 April 1977,  
 May 1977,  
 Nov. 1977,  
 June 1979,  
 June 1981,  
 May 1983,  
 May 1984,  
 June 1984,  
 Aug. 1984,  
 June 1985,  
 July 1985,  
 Sept 1985,  
 5 Miles)

(Based on visits 1950, 1959, 1967, 1983)

≡ coast studied



(unc) - uncommon

**GYMNOSPERM TREES**

*Dacrydium cupressinum* (unc)  
*Phyllocladus trichomanoides* s.s.

*Pseudopanax farruginea*

**MONOCOT TREES AND SHRUBS**

*Cordyline australis*

*C. banksii*

*Rhopalostylis sapida*

**DICOT TREES**

*Alectryon excelsus* var. *excelsus*

*Amstolaiia setrata*

*Beilschmiedia tawa* (incl. *B. tawatua*)

*Carpodetus serratus*

*Corynocarpus laevigatus*

*Dodonaea viscosa* var.

*Dysoxylum spectabile*

*Elaeocarpus dentatus* (incl. *E. d.*  
var. *obovatus*)

*Entelea arborescens*

*Fuchsia excorticata*

*Hedycarya arborea*

*Griselinia lucida*

*Hoheria populnea* var. *lanceolata*

*Knightia excelsa*

*Lavandula novae-zelandiae*

*Litsea calicaris*

*Lophomyrtus bullata*

*L. obcordata*

*L. bullata* × *L. obcordata*

*Macropiper excelsum* var. *excelsum*

*Melicope tetnata*

*Melicytus ramiflorus* ssp. *ramiflorus* *phylla*

*Metrosideros excelsa*

*Myoporum laetum* var. *laetum*

*Myrsine australis*

*Nestegis lanceolata* (unc)

*Nothofagus menziesii* (unc - "Te  
Araroa Hill")

*N. truncata* ("Te Araroa Hill")

*Olearia paniculata*

*O. rani* var. *colorata*

*Pannantia corymbosa*

*Pisonia brunoniana* (unc)

*Pittosporum crassifolium*

*P. ralphii*

*P. tenuifolium* ssp. *tenuifolium*

*Planchonella costata*

*Pseudopanax arboreus* var.  
*arboreus*

*P. crassifolius*

*P. ferox* (Cheeseman 1925)

*P. lessonii*

*P. crassifolius* × *P. lessonii*

*Quintinia serrata* (incl. *Q. acutifolia*  
+ *Q. elliptica*) ("Te Araroa Hill")

*Schefflera digitata*

*Sophora tetraaptera*

*Streblus heterophyllus*

*Vilex lucens*

*Weinmannia racemosa*

**DICOT SHRUBS**

*Archetia racemosa* (unc - "Te  
Araroa Hill")

*Brachyglossis perfolioides* var.  
*perfolioides*

*B. repanda* s.s.

*Carmichaelia* sp. (subgenus  
*Carmichaelia*)

*C. williamsii* (Kirk 1897)

*Cassinia leptophylla* var. *lepto-*

*phylla*

*Coprosma areolata*  
*C. grandifolia*  
*C. lucida* s.s.  
*C. macrocarpa* ssp.  
*C. thamnoides* (incl. *C. polymorpha*)

*C. tenuis*  
*C. robusta*  
*C. spathulata* ssp. *spathulata*  
*Cotinia arborea*  
*Corokia cotoneaster* var.  
*Cyathodes juniperina* agg.  
*Dracophyllum sinclairii*\*  
*Gaultheria antipoda*  
*Grevillea rupestris* var. *ligustrifolium*  
*Hebe stricta* var. *macroura*  
*H. s.* var. *stricta*  
*H. sp.* (*Veronica arborea*)  
*Halictysum aggregatum* var.  
    *aggregatum*  
*H. lanceolatum*  
*Kunzea ericoides* agg.

*Leptospermum scoparium*  
*Leucopogon fasciculatus* var.  
*L. fraseri* s.s.  
*Olearia albida* s.s.  
*O. furfuracea* var.  
  
*Pimelea longifolia* var. *longifolia*  
*P. prostrata* (erect and prostrate  
    forms)  
*Pittosporum cornifolium*  
*Plagianthus divaricatus*  
*Pomaderris ericifolia*  
*Solanum aviculare* var. *aviculare*

\*(include *D. adamsii* and *D.*  
    *vitidae*)

### MONOCOT LIANES

*Freycinetia baueriana* ssp.  
    **banksii**  
*Ripogonum scandens*

### DICOT LIANES + RELATED TRAILING PLANTS

*Calystegia sepium* ssp.  
*C. soldanella*  
*C. tuguriorum*  
*Clematis cunninghamii*  
*C. forsteri*  
  
*C. paniculata*  
*Metrosideros colensoi* (incl. *M. c.*  
    var. *pandens*)  
*M. diffusa*  
*M. fulgens*  
*M. perforata*  
*Muehlenbeckia australis*  
*M. complexa*  
*M. australis* X *M. complexa*  
*Parsonsia heterophylla*  
*Rubus cissoides* var. *cissoides*  
*R. squamosus*

### PSILOPSIDS AND LYCOPODS

*Tmesipteris elongata* (incl. *T. e.*  
    ssp. *robusta*)  
*T. lanceolata* (Chinnock 1975)  
*Lycopodium Varium* (incl. *L. billard-*  
    *ierei* and *L. novae-zelandicum*)  
*L. volubile*

### FERNS

*Adiantum cunninghamii*

*Anarthropteris lanceolata*  
*Athropteris tenella*  
*Asplenium flaccidum*

*Cyperaceae*

*C. dealbata*  
*C. medullaris*

*A. gracillimum*

*A. hookerianum*

*A. oblongifolium*

*A. polyodon*

*Azolla filiculoides*

*Blechnum chambersii*

*B. discolor*

*B. filiforme*

*B. minus*

*B. vulcanicum*

*B. sp. (i) (unnamed) (common lowland  
sp.; lower pinnae reduced in length)*

*B. sp. (ii) (unnamed) (cliff sp.;  
lower pinnae not reduced)*

*Botrychium austale*

→ *Cheilanthes distans* (unc)

*Dicksonia squarrosa*

*Doodia media* ssp. *australis*

*Grammitis ciliata*

*Hymenophyllum demissum*

*H. sanguinolentum* agg.

*H. scabrum*

*Hypolepis ambigua*

*H. distans* (Adams 1898)

*Lastreopsis glabella*

*L. microsora* ssp. *pentangularis*

*L. velutina*

*Leptopteris hymenophylloides*

*Lindsaea viridis* (unc)

*Paesia scaberula*

*Pellaea rotundifolia*

*Phymatosorus pustulatus*

*P. scandens*

*Pneumatopteris pennigera*

*Polystichum richardii*

*Pteridium esculentum*

*Pteris macilenta* s.s. (incl. *P. sax-*  
*atilis*)

*P. pendula*

*P. tremula*

*Pyrosia eleagnifolia*  
*Rumohra adiantiformis*  
*Trichomanes teniforme*

### ORCHIDS

*Acaianthus sinclairii*

*Bulbophyllum pygmaeum*

*Caladenia catenata*

*Corybas macranthus*

*C. trilobus* ss.

*Dendrobium cunninghamii*

*Drymoanthus adversus*

*Eatinia autumnalis*

*E. mucronata* ss.

*Microtis unifolia*

*Orthoceras horae-zeelandiae*

*Pterostylis allobula*

*P. banksii*

*P. graminea*

*Thelymitra longifolia*

*T. pauciflora*

### GRASSES

*Astrofestuca littoralis*

*Chionochloa flavicans*

*Cortaderia fulvida*

*C. toetoe*

*Deyeuxia billardierei*

*Dichelachne crinita*

*Echinopogon ovatus*

*Elymus multiflorus*

*Isachne globosa*

*Festuca multinodis*

*Lachnagrostis* sp. (unnamed;  
Included in *L. filiformis*, as var.  
*semiglabra*, by Zofov (1965))

*Microlaena avenacea*

*M. stipoides*

*Oplismenus imbecillis*

*P. anceps* ssp. *anceps*

*Rytidosperma clavatum*

*R. unarede*

*Spinifex sericeus*

*Tisetum* sp. (unnamed; aff. *T. antarcticum*)

*Zoysia minima*

*Z. pauciflora* (unc)

### SEDGES

*Baumea articulata*

*B. teretifolia*

*Bolboschoenus medianus*

*Carex breviculmis*

*C. comans*

*C. dissita* s.s.

*C. flagellifera*

*C. lambertiana*

*C. pumila*

*C. solandri*

*C. spinirostris*

*C. vitigata*

*C. sp.* (unnamed; aff. *C. geminata*)  
(much larger than *C. geminata*; lvs  
up to 2.5 cm wide)

*Cyperus ustulatus*

*Desmoschoenus spiralis*

*Fleocharis acuta*

*Gahnia lacera*

*G. pauciflora*

*Isolepis cernua*

*I. nodosa*

*Machaerina sinclairii*

*Morelotia affinis*

*Schoenoplectus pungens*

*S. validus*

*Schoenus nitens*

*Uncinia banksii*

*U. uncinata*

### RUSHES

*Juncus australis*

*J. caespiticius*

*J. fragiflorus*

*J. maritimus* var. *australiensis*

*Leptocarpus similis*

*Huzula picta* s.s.

### MONOCOT HERBS OTHER THAN ORCHIDS

#### GRASSES, SEDGES, RUSHES

*Arthropodium citratum*

*Astelia solandri*

*Collospermum hastatum*

*Dianella nigra*

*Libertia grandiflora*

*L. ixoides*

*Phormium cookianum*

*P. tenax*

*Potamogeton cheesemanii*

*Triglochin striata*

*Typha orientalis*

### COMPOSITE HERBS

*Anaphalis keriensis* s.s.

*A. subrigida*

*Cotula coronopifolia*

*Gnaphalium audax*

*G. gymnocephalum*

*Lagenifera pumila*

*Leptinella squamida* s.s.

*Pseudognaphalium* sp. (unnamed;  
aff. *P. luteoalbum*) (lvs mostly linear-  
spatulate to linear, acute)

*Raoulia tenuicaulis* (incl. *R.t. var.*  
*dimorpha* and *R.t. var. pusilla*)

*Senecio banksii* var.

*S. lautus* ssp. *lautus*

*S. minimus*

*S. quadridentatus*

DICOT HERBS OTHER THAN COMPOSITES	
<i>Acaena anserinifolia</i>	<i>Rorippa gigantea</i> (Cheeseman 1925, as <i>Nasturtium stylosum</i> )
<i>Apium prostratum</i> ssp.	<i>Sarcocornia quinqueflora</i>
<i>Centella uniflora</i>	<i>Samolus repens</i> var. <i>repens</i>
<i>Dactylanthus taylorii</i> (unc)	<i>Scandia</i> sp. ( <i>S. rosifolia</i> agg.) (leaflets ovate)
<i>Dichondra repens</i> agg.	<i>Selliera radicans</i> agg.
<i>Disphyma australe</i> ssp. <i>australe</i>	<i>Solanum americanum</i>
<i>Drosera peltata</i> ssp. <i>auriculata</i>	<i>Stellaria decipiens</i> (incl. <i>S. parviflora</i> )
<i>Epilobium cinereum</i>	<i>Tetragonia tetragonoides</i> (Adams 1898, as <i>T. expansa</i> )
<i>E. hirtigerum</i> (Raven & Raven, 1976)	<i>T. trigyna</i>
<i>E. insulare</i>	<i>Wahlenbergia colensoi</i>
<i>E. nattererioides</i>	<i>W. sp.</i> (cf. <i>W. gracilis</i> )
<i>E. nummulariifolium</i>	
<i>E. pubens</i>	
<i>E. rotundifolium</i>	
<i>Eryngium vesiculosum</i> (Cheeseman 1925)	
<i>Euphorbia glauca</i> (Adams 1898)	<u>No. of species: 299.</u>
<i>Euphrasia cuneata</i>	
<i>Galium propinquum</i>	
<i>Gonocarpus incanus</i> (incl. <i>G. montanus</i> )	
<i>Haloragis erecta</i> ssp. <i>erecta</i>	
<i>Hydrocotyle elongata</i>	
<i>H. moschata</i>	
<i>H. novae-zelandiae</i> s.s.	
<i>Jovellana sinclairii</i>	
<i>Lilaëopsis novae-zelandiae</i>	
<i>Linosella lineata</i>	
<i>Linum monogynum</i>	
<i>Lobelia aniceps</i>	
<i>Myriophyllum propinquum</i>	
<i>Nertera depressa</i> (incl. <i>N. cunninghamii</i> )	
<i>Oxalis exilis</i>	
<i>O. rubens</i>	
<i>Peperomia tetraphylla</i>	
<i>Purvileana</i>	
<i>Plantago raoulii</i>	
<i>P. spathulata</i> ssp. <i>picta</i>	
<i>Pratia angulata</i> agg.	
<i>Ranunculus amphitrichus</i>	
<i>R. reflexus</i>	

## Doubtful or erroneous records not included in main list:

- Alseuosmia macrophylla* (Cheeseman 1925)  
*Astelia banksii* (Adams 1898)  
*Carmichaelia juncea* (Kirk 1897, as *Huttonella juncea*)  
*Chionochloa conspicua* ssp. *cunninghamii* (Adams 1898, as  
*Danthonia cunninghamii*)  
*Coprosma rugosa* (Oliver 1935)  
*Dracophyllum longifolium* (Adams 1898)

- Pseudopanax simplex* (Kirk 1897, as *Panax sinclairii*)  
*Scandia geniculata* (Cheeseman 1925, as *Angelica geniculata*)  
*Laptiella pusilla* (Cheeseman 1925, as *Cotula perpusilla*)  
*Colobanthus muelleri* (Cheeseman 1925)

## References

- Adams, J. 1898: On the botany of Hikurangi mountain. Trans N.Z. Inst. 30: 44-33.
- Cheeseman, T.F. 1925: "Manual of the New Zealand Flora". 2nd ed.  
→ Government Printer, Wellington. 1163 pp.
- Kirk, T. 1897: Notes on the botany of the East Cape district. Trans N.Z. Inst. 29: 509-32.
- Oliver, W.R.B. 1935: The genus *Coprosma*. Bull. Bishop Mus., Honolulu, 132.
- Raven, P.H.; Raven, T.E. 1976: The genus *Epilobium* (Onagraceae) in Australasia: a systematic and evolutionary study. N.Z. Dept. Sci. Industr. Res. Bull. 216.
- Zotov, V.D. 1965: Grasses of the subantarctic islands of the New Zealand region. Rec. Dom. Mus. Wellington 5: 101-46.
- Chinnock, R.J. 1975: The New Zealand species of *Trisetum* (Pooideae). N.Z. Jl Bot. 13: 743-68.
- Wright, A.E. 1984: *Beilschmiedia* Nees (Lauraceae) in New Zealand. N.Z. Jl Bot. 22: 109-25.

