

INDIGENOUS VASCULAR PLANTS OF NGAMOKO RANGE, 2500-5144 FT⁺
(RUAHINE RANGE)

[†]Highest point: Mt Tunupo - grid ref. N 140 534822

A.P.Druce, Botany Division, D.S.I.R., July 1975

(revised July 1976)

May 1977

May 1978

June 1979

May 1980

July 1985, Feb. 1987,

Sept. 1990,

July 1991,

July 1992)

(Based on visits 1944, 1960, 1978)

(unc) - uncommon

GYMNOSPERM TREES AND SHRUBS

Dacrydium cupressinum

Halocarpus biformis

Libocedrus bidwillii

Phyllocladus alpinus s.s.

Podocarpus hallii

P. nivalis (unc)

Prumnopitys ferruginea

Myrsine salicina

Nestegis cunninghamii July 1991,

N. lanceata

Nothofagus fusca

N.f. × N. solandri (unc)

Pennantia corymbosa

Pittosporum tenuifolium ssp. *tenui*

Pseudopanax arboreus var. *arboreus*

P. colensoi s.s.

P. crassifolius

P. simplex (incl. *P.s. var. sindalii*)

Schefflera digitata

Weinmannia racemosa var.

racemosa

DICOT TREES

Aristotelia serrata

Carpodetus serratus

Elaeocarpus hookerianus

Fuchsia excorticata

Griselinia littoralis

H. populnea var. *lanceolata*

Melicytus lanceolatus (incl. *M.l. var.*

latior) (unc)

DICOT SHRUBS

Alseuosmia pusilla

Aristotelia fruticosa var. *subcordata*

A.f. × A. serrata

Brachyglottis bidwillii var. *bidwillii*

B. Kirkii s.s.

B. repanda s.s.

B. rotundifolia var. (*B. eleagnifolia*)

Cassinia laevis

<i>Coprosma colensoi</i> s.s.	<i>H. stricta</i> var. <i>stricta</i>
<i>C. depressa</i>	<i>H. tetragona</i> var. (<i>H. subsimilis</i>)
<i>C. foetidissima</i>	<i>H. truncatula</i>
<i>C. grandifolia</i>	<i>Leptospermum scoparium</i> var. <i>Leucopogon fasciculatus</i> var.
<i>C. lucida</i> s.s.	<i>Myrsine divaricata</i> s.s.
<i>C. microcarpa</i>	<i>M. nummularia</i>
<i>C. pseudocuneata</i> ssp. <i>pseudocuneata</i>	<i>Neomyrtus pedunculata</i>
<i>C. perpusilla</i> ssp. <i>perpusilla</i>	<i>Olearia arborescens</i>
<i>C. robusta</i>	<i>O. colensoi</i> var. <i>colensoi</i>
<i>C. rugosa</i> ssp. <i>rugosa</i>	<i>O. ilicifolia</i>
<i>C. tenuifolia</i>	<i>O. arborescens</i> × <i>O. ilicifolia</i> (unc)
<i>C. sp.(i)</i> (unnamed; included in <i>C. parviflora</i> by Oliver, 1935, and others) (lf undersurface not covered in minute hairs as is usual in <i>C. parviflora</i> ; drupes us. unpigmented, occ. purplish red)	<i>Pentachondra pumila</i>
	<i>Paraxilla tetrapetala</i> (unc)
	<i>Pittosporum rigidum</i> var. <i>rigidum</i>
<i>C. sp.(ii)</i> (unnamed; aff. <i>C. cheesemanii</i>) (lvs broader than in <i>C. cheesemanii</i>)	<i>Pseudowintera axillaris</i>
	<i>P. colorata</i>
<i>Coriaria arborea</i>	

Dracophyllum longifolium var.

(incl. *D. filifolium* & *D. oliveri*)

D. recurvum

DICOT LIANES

D. longifolium X *D. recurvum*

Clematis paniculata

Gaultheria antipoda

Metrosideros diffusa

G. rupestris (incl. *G. subcordata*)

Muehlenbeckia australis

G. sp. (unnamed; included in *G. depressa*, as var. *novae-zelandiae*, by Franklin 1962)

Patsensia capsulatis var.

G. rupestris X *G. sp.* (unnamed)

Rubus cissoides var. *cissoides*

Habea odora s.s.

PSILOPSIDS AND LYCOPODS

Tmesipteris tannensis
Lycopodium fastigiatum
L. scariosum
L. varium (incl. *L. bellatieri* and *L. novae-zelandicum*)

FERNS

Asplenium bulbiferum

A. flaccidum

A. polyodon

Blechnum discolor

B. fluviatile ags.

B. procerum

B. vulcanicum

B. sp. (ii) (unnamed) (common land sp.;
 lower pinnae reduced in length)

B. sp. (ii) (unnamed) (mountain sp.;
 lower pinnae not reduced)

B. procerum × *B. sp. (i)*
Cyathea colensoi

C. smithii

Dicksonia fibrosa

D. lanata s.s.

Grammitis billardierei

G. magellanica ssp. *nothofageti*

Histeropteris incisa

Hymenophyllum bivalve

H. denissimum

H. flabellatum

H. malingii

H. multifidum

H. peltatum (unc)

H. pulcherrimum

H. ratum

H. rufescens (unc)

H. sanguinolentum agg.

Hypolepis tufobarbata

Leptopteris hymenophylloides

L. superba

Paesia scaberula

Phymatosorus postulatus

Polystichum vestitum

Rumohra adiantiformis

ORCHIDS

Aporostylis bifolia

Chiloglottis cornuta

Cotybas mactanthus

Prasophyllum colensoi

Pterostylis venosa

GRASSES

Agrostis dyeri s.s.

A. personata

Chionochloa conspicua ssp.
 cunninghamii

C. pallens ssp. *pallens*

C. conspicua × *C. pallens* (unc)

Cortaderia fulvida

Deyeuxia aucklandica

Hierochloe recutita

H. redolens

Lachnagrastis sp. (unnamed; included
 in *L. filiformis*, as var. semi-glabra,
 by Zetou 1965)

Microseris avenacea

M. colensoi

- (*Rytidosperma gracile*)
R. unarede
Poa breviglumis
P. colensoi
P. Kirkii

SEDGES

- Carex acicularis*
Carpha alpina s.s.
Gahnia procera
Oteobolus pectinatus

Schoenus sp. (unnamed; aff. *S. pauciflorus*) *Phormium cookianum*

- Isolepis habra*
Uncinia astanii

- U. caespitosa*
U. clavata
U. filiformis
U. fuscovaginata var. *fuscovaginata*
U. gracilenta
U. rupestris (incl. *U. angustifolia*)
U. silvestris (incl. *U. affinis*)
U. uncinata
U. viridis
U. zotovii

RUSHES

- Centrolepis pallida*
Juncus antarcticus
J. gregiflorus

J. novae-zelandiae

Luzula migrata

L. subclavata

L. sp. (unnamed; included in *L. picta*,
as var. *limosa*, by Edgar 1966)

MONOCOT HERBS (OTHER THAN ORCHIDS,

(GRASSES, SEDGES, RUSHES)

- Astelia fragrans*
A. linearis var. *novae-zelandiae*
A. solandri
A. sp. (unnamed; aff. *A. nervosa*) (lvs
not conspicuously white adaxially)
Bulbinella gibbsii var. *balanifera*
Colospermum microspermum
Libertia pulchella
Luzuriaga parviflora

COMPOSITE HERBS

- Abrotanella caespitosa*
A. pusilla
Brachyglottis lagopus var. *lagopus*
Brachyscome radicata
Celmisia gracilenta ssp.
C. incana (incl. *C. discolor*)
C. spectabilis ssp. *spectabilis*
Graphalium mackayi s.s.
G. ruahinicum
Anaphalis sp. (i) (*Helichrysum bellidoides* s.s.)
A. sp. (ii) (unnamed) ("H. alpinum" of
Cochayne 1928) (lvs and capitula
larger than in *H. bellidoides*)

Helichrysum filicaule

Pseudognaphalium sp. (unnamed; aff. *P. luteo-album*) (lvs mostly lin-spath. to linear acute)

5

Raoulia grandiflora var. *grandiflora* Gaum sp. (*G. parviflorum* agg.) (stock short; terminal leaflet about as long as broad; fls up to 1.3 cm diam)

R. tenuicaulis (incl. *R. t.* var. *dimorpha*) and *R. t.* var. *pusilla*)

Senecio rufiglandulosus var. *rufiglandulosus*

Hydrocotyle heteromeria

H. moschata

Jovellana repens

Myosotis forstieri

Nettlera sp. (unnamed; aff. *N. dichondri-*^{folia})

Oreomyrtis colensoi ss. (incl. *O.c.*

var. *hispida* and *O.c.* var. *multifida*)

Oritisia colensoi

O. lactea ssp. *drucei*

Oxalis magellanica agg.

Parahelbe diffusa ssp. *diffusa*

Phyllachne colensoi var. *colensoi*

Plantago lanigera s.l.

Pratia angulata agg.

Psychotrichia novae-zealandiae

Ranunculus insignis

R. membranifolius

R. reflexus

R. verticillatus

Stellaria decipiens (incl. *S. parviflora*)

Urtica incisa

Viola cunninghamii

V. filicaulis

DICOT HERBS (OTHER THAN COMPOSITES)

Acaena anserinifolia

A. profunda

Aciphylla colensoi var. *colensoi*

Anisotome aromatica

Cardamine sp.(i) (*C. debilis* agg.) ("Long Style" of Pitchard 1957)

C. sp.(ii) (*C. debilis* agg.) ("Tussock Raca" of Pitchard)

Kelleria dieffenbachii

Drosera arcturi

D. stenopetala

Epilobium alsinoides ss.

E. chlorifolium

E. cockayneum

E. glabellum ss.

E. linnacoides

E. petmitans

Euphrasia cuneata

E. revoluta

Forstera tenella

Gentiana matthiawii

Gentianum micropyllym

No. of species: 227.

