

INDIGENOUS VASCULAR PLANTS OF RESERVED AREAS<sup>†</sup>, ROCKY  
HILL TAIPÓS,\* WAIRARAPA, 900-1600 FT.

A.P. Druce, Botany Division, D.S.I.R., July 1980  
(Revised Nov. 1982, June 1983, June 1988, Sept. 1990)  
(Based on visit June 1980)

(unc) — uncommon

**GYMNOSPERM TREES**

*Dacrydium dactyloides* (unc)  
*Dacrydium cupressinum*  
*Podocarpus totara* s.s.  
*Prumnopitys ferruginea*  
*P. taxifolia*

*Griselinia littoralis*  
*G. lucida*  
*Hedycarya arborea*  
*Hohemia populnea* var. *lanceolata*  
*Knightia excelsa*  
*Macropiper excelsum* var.  
*excelsum*

**MONOCOT TREES**

*Cordyline australis*

*Malicytus ramiflorus* ssp.  
*ramiflorus*

*Metrosideros robusta* (unc)

**DICOT TREES**

*Alectryon excelsus* var. *excelsus*  
*Aristotelia serrata*  
*Carpodetus serratus*  
*Elaeocarpus dentatus* (incl. *E.d.*  
var. *obovatus*)  
*Fuchsia excorticata*

*Myrsine australis*

*M. salicina*

*Nestegis cunninghamii*

*N. lanceolata*

*N. montana* (unc)

*Nothofagus solandri* var.  
*solandri*

<sup>†</sup> Ghd. ref. N162 26-33-. Waipunga Stm block fenced 1970; adjacent block fenced 1979. Primary forest types: (1) scattered rimu-matai-totara/tawarewa-hinau-black maite/mahoe-lacebark forest on steep land; (2) black beech forest on spots. Extensive secondary forest and scrub.

\* For full list of plants from Rocky Hill Taipos see List 81.

Olearia paniculata  
O. rani var. colorata

Pennantia corymbosa

Pittosporum eugenoides

P. tenuifolium ssp. tenuifolium

Pseudopanax arboreus var. arboreus

P. crassifolius

P. edgerleyi (unc)

Schefflera digitata

Strabulus heterophyllus (unc)

Hebe stricta var. atkinsonii

H. sp. (Veronica arborea)

Helichrysum aggregatum var. aggreg.

Kunzea ericoides var.

Melicope simplex

Olearia arborescens (unc)

Pseudopanax anomalus (unc)

Urtica ferox

**DICOT SHRUBS**

Brachyglottis greyi (incl. B. laxifolius) (unc)

B. repanda s.s.

Cassinia leptophylla var. leptophylla

**MONOCOT LIANES**

Freycinetia baueriana ssp.

banksii (unc)

Ripogonum scandens

**DICOT LIANES**

Coprosma areolata (unc)

C. grandifolia

C. linariifolia (unc)

C. microcarpa (unc)

C. propinqua ssp. propinqua (incl.

C.p. var. latiuscula)

C. rhamnoides ssp. rhamnoides (incl.

C. polymorpha)

C. rigida (unc)

C. robusta

C. rotundifolia (unc)

C. propinqua X C. robusta

Gaultheria antipoda

Geniostoma rupestre var.

ligustrifolium

Clematis foetida

C. forsteri

Metrosideros colensoi (incl. M.c.

var. pendens)

M. diffusa

M. perforata

Muehlenbeckia australis

Parsonsia capsularis var.

P. heterophylla

Passiflora tetrandra

Rubus cissoides var. cissoides

R. schmidelioides var. schmid-

elioides

**LYCOPODS**

*Lycopodium varium* (incl. *L. billardierei* & *H. flabellatum*  
and *L. novae-zelandicum*)  
*L. volubile*

*Hymenophyllum demissum*

*H. multifidum*

*H. ratum*

*H. revolutum* (unc)

*H. sanguinolentum* agg.

*H. scabrum* (unc)

*Hypolepis ambigua*

**FERNS**

*Adiantum cunninghamii*

*Asplenium bulbiferum*

*A. flabellifolium* agg.

*A. flaccidum*

*A. gracillimum*

*A. hookerianum*

*A. oblongifolium*

*A. polyodon*

*Blechnum chambersii*

*B. discolor*

*B. filiforme* (unc)

*B. fluviatile* agg.

*Lastreopsis glabella*

*L. hispida* (unc)

*Leptolepia novae-zelandiae* (unc)

*Leptopteris hymenophylloides*

*Paesia scaberula*

*Pellaea rotundifolia*

*Phymatosorus diversifolius*

*P. scandens* (unc)

*Pneumatopteris pennigera*

*Polystichum richardii*

*P. silvaticum* (unc)

*P. vestitum* (unc)

*Pteridium esculentum*

*Pteris tremula*

*Pyrosia eleagnifolia*

*Rumohra adiantiformis*

*Botrychium australe* (unc)

*Ctenopteris heterophylla* (unc)

*Cyathea cunninghamii*

*C. dealbata*

*C. medullaris*

*C. smithii* (unc)

*Dicksonia fibrosa* (unc)

*D. squarrosa* (unc)

*Grammitis billardierei* (unc)

*G. ciliata* (unc)

*Histiopteris incisa* (unc)

*Trichomanes venosum*

*T. endlicherianum* (unc)

**ORCHIDS**

*Earina autumnalis*  
*E. mucronata* s.s.  
*Microtis unifolia*  
*Thalymitra longifolia*

**GRASSES**

*Cortaderia fulvida*  
*Dichelachne chinata*  
*Elymus* sp. (aff. *E. tectisetus*)  
  
*Echinopogon ovatus*  
*Poa anceps* ssp. *anceps*  
*P. imbecilla*

**SEDGES**

*Carex forsteri* (unc)  
*C. solandri*  
*Uncinia banksii*  
*U. scabra*  
*U. uncinata*  
*U. sp.* (aff. *U. rupestris*)

**RUSHES**

*Juncus australis*  
*J. gregiflorus*  
*J. pallidus*  
*J. planifolius* (unc)  
*J. sarophorus*  
*Luzula picta* s.s.

**MONOCOT HERBS (OTHER THAN ORCHIDS)****GRASSES, SEDGES, RUSHES**

*Astelia solandri*  
*Collosperrum hastatum*  
*Libertia ixioides*

**COMPOSITE HERBS**

*Craspedia uniflora* var. *grandis*  
*Gnaphalium avidax*  
*G. gymnocephalum*  
*G. sphaericum*  
*Helichrysum filicaule*  
*Lagenifera strangulata*  
*Pseudognaphalium* sp.\*  
*Raoulia glabra* (unc)  
*Senecio lautus* ssp. *lautus* (unc)  
*S. minimus*  
*S. quadridentatus*

**DICOT HERBS (OTHER THAN COMPOSITES)**

*Australina pusilla*  
*Cardamine* sp. (*C. debilis* agg.)  
 ("Narrow Petal" of Pritchard 1957)  
*Epilobium nummularifolium*  
*E. pubens*  
*E. rotundifolium*  
*Euphrasia cuneata*  
*Hydrocotyle elongata*  
*H. heteromenia*  
*H. moschata*  
*Pratia angulata* agg.  
*Ranunculus reflexus*  
*Stellaria decipiens* (incl. *S. parviflora*)  
*Urtica incisa*

\* (= *Gnaphalium luteoalbum* var. *incanum*) No. of species: 170.