


INDIGENOUS HIGHER PLANTS (LYCOPODS, FERNS, GYMNO-SPERMS, FLOWERING PLANTS) OF "AWAPIKOPIKO RESERVE",  
DRUCE ROAD, KUMEROA, SOUTHERN HAWKES BAY,  
450-800 FT / 135-245 M

Ghd.ref. N 150 475350

A.P. Druce, Wellington, and members of the  
Wellington Botanical Society,  
June 1988 (revised Dec. 1990, Aug. 1991)

\* Reserve established by D.M. Druce  
Area of reserve: c. 60 acres  
Reserve fencing completed in 1965



(unc) - uncommon

**GYMNOSPERM TREES**

<i>Dacrycarpus dactyloides</i>	kahikatea
<i>Dacrydium cupressinum</i> (unc)	timu
<i>Podocarpus totara</i> s.s.	totara
<i>Prumnopitys ferruginea</i>	mito
<i>P. taxifolia</i> (unc)	matai

**MONOCOT TREES AND SHRUBS**

<i>Cordyline australis</i>	cabbage tree
<i>C. banksii</i> (unc)	forest cabbage tree

**DICOT TREES**

<i>Alectryon excelsus</i> var. <i>excelsus</i>	titoki
<i>Beilschmiedia tawa</i>	tawa
<i>Carpodetus serratus</i>	puta putaweta
<i>Elaeocarpus dentatus</i>	hinau
<i>Hedycarya arborea</i>	pigeonwood
<i>Hoheria populnea</i> var. <i>lanceolata</i> ( <i>H. sexstylosa</i> )	lacebark
<i>Knightia excelsa</i>	rewarewa
<i>Lophomyrtus bullata</i>	tamatama
<i>Macropiper excelsum</i> var. <i>excelsum</i> (unc)	kawakawa
<i>Melicotus ramiflorus</i> ssp. <i>ramiflorus</i>	mahoe
<i>Metrosideros robusta</i> (unc)	northern rata
<i>Myrsine australis</i>	mapou, red matipo
<i>Nestegis cunninghamii</i> (unc)	black maire
<i>N. lanceolata</i> (unc)	white maire
<i>Oleaia rani</i> var. <i>colorata</i>	haketara
<i>Pennantia corymbosa</i>	kaikomako

<i>Pittosporum eugenioides</i>	tarata, lemonwood
<i>P. tenuifolium</i> ssp. <i>tenuifolium</i>	kohuhu, black matipo
<i>Pseudopanax arboreus</i> var. <i>arboreus</i> (unc)	fivefinger
<i>P. crassifolius</i>	lancewood
<i>Schefflera digitata</i>	pate
<i>Streblus heterophyllus</i>	milk tree
<i>Weinmannia racemosa</i> var. <i>racemosa</i> (juv. only) (unc)	kamahi

**DICOT SHRUBS**

<i>Brachyglottis repanda</i> s.s.	rangiota
<i>Carmichaelia arborea</i> var. (incl. <i>C. flagelliformis</i> & <i>C. hookeri</i> ) (unc)	native broom
<i>Coprosma areolata</i>	coprosma
<i>C. crassifolia</i>	coprosma
<i>C. grandifolia</i>	taurekau
<i>C. thamnoides</i> (incl. <i>C. polymorpha</i> )	coprosma
<i>C. rigida</i>	coprosma
<i>C. robusta</i>	karamu
<i>Geniostoma rupestre</i> var. <i>ligustrifolium</i>	hangehange
<i>Griselinia lucida</i> (unc)	puka
<i>Hebe stricta</i>	koromiko
<i>Helichrysum aggregatum</i> var. <i>aggregatum</i> (unc)	niniao
<i>Kunzea ericoides</i> agg.	kanuka
<i>Leptospermum scoparium</i>	manuka
<i>Leucopogon fasciculatus</i> var.	mingimingi
<i>Melicope simplex</i>	poataniwha
<i>Pittosporum cornifolium</i> (unc)	parching pittosporum
<i>Solanum aviculare</i> var. <i>aviculare</i>	poroporo

**MONOCOT LIANES**

*Ripogonum scandens* supplejack

**DICOT LIANES**

*Clematis foetida* yellow clematis  
*C. paniculata* (unc) white clematis  
*Metrosideros colensoi* white climbing rata  
*M. diffusa* white climbing rata  
*M. fulgens* red climbing rata  
*M. perforata* white climbing rata  
*Muehlenbeckia australis* pohuehue  
*Parsonsia heterophylla* native jasmine  
*Passiflora tetrandra* native passion flower  
*Rubus cissoides* var. *cissoides* bush lawyer  
*R. schmidelioides* var. *schmidelioides* (unc) white-back lawyer

**LYCOPODS**

*Lycopodium volubile* (unc)

**FERNS**

*Adiantum cunninghamii* maidenhair fern  
*Asplenium bulbiferum* hen and chickens fern  
*A. flaccidum*  
*A. hookerianum* (unc)  
*A. oblongifolium*  
*A. polyodon*  
*Blechnum chambersii*  
*B. filiforme* climbing blechnum  
*B. fluviatile*  
*B. sp.* (unnamed) (common lowland species) kiokio

*Cyathea dealbata*

*C. medullaris*

*C. smithii*

*Dicksonia fibrosa* (unc)

*D. squarrosa*

*Hymenophyllum demissum*

*H. sanguinolentum* (unc)

*Hypolepis ambigua*

*Lastreopsis glabella*

*L. hispida*

*L. velutina*

*Leptopteris hymenophylloides*

*Paesia scaberula*

*Pellaea rotundifolia*

*Phymatosorus diversifolius*

*P. scandens*

*Pneumatopteris pennigera*

*Polystichum richardii*

*P. silvaticum* (unc)

*Pteridium esculentum*

*Pteris pendula*

*P. tremula*

*Pyrosia cleagnifolia*

*Trichomanes venosum*

ponga, silver tree-fern

mamaku, black tree-fern

soft tree-fern

whēki ponga

whēki

filmy fern

filmy fern

velvet fern

ring fern

hound's tongue fern

sheald fern

sheald fern

bracken

leather-leaf fern

filmy fern

### ORCHIDS

*Acianthus sinclairii* (unc)

*Dendrobium cunninghamii*

(unc)

*Earina autumnalis* (unc)

*E. mucronata* s.s.

*Pterostylis alobula* (unc)

greenhood orchid

**GRASSES**

*Microlaena avenacea* bush rice-grass

**SEDGES**

*Carex dissita* s.s.

*C. forsteri* (unc)

*C. inversa* (unc)

*C. secta* (unc)

*C. solandri*

*C. virgata*

*C. sp.* (unnamed)

broad-leaved cutty-grass

*Gahnia pauciflora* (unc)

*Isolopis reticularis* (unc)

*Uncinia banksii* (unc)

hook-grass

*U. scabra* (unc)

hook-grass

*U. uncinata*

hook-grass

**RUSHES**

*Juncus gregiflorus*

**MONOCOT HERBS OTHER THAN**

**ORCHIDS, GRASSES, SEDGES, RUSHES**

*Astelia solandri*

*Collospermum hastatum*

*C. microspermum*

*Dianella nigra* (unc)

dianella

*Libertia grandiflora* (unc)

native iris

*L. ixioides* (unc)

native iris

**COMPOSITE HERBS**

*Senecio bisetatus* (unc)

fire-weed

DICOT HERBS OTHER THAN COMPOSITES

<i>Acaena anserinifolia</i>	piti-piti, bidibid
<i>Australina pusilla</i>	
<i>Cardamine</i> sp. ("Narrow Petal")	
<i>Epilobium netteroides</i> (unc)	willow herb
<i>E. pedunculare</i> s.s. (unc)	willow herb
<i>Hydrocotyle elongata</i>	pennywort
<i>H. moschata</i>	
<i>Parietaria debilis</i>	
<i>Ranunculus reflexus</i> (unc)	buttercup
<i>Stellaria decipiens</i> (incl. <i>S. parviflora</i> )	native chickweed
<i>Urtica incisa</i> (unc)	nettle

No. of species: 131.

State of New York  
County of Westchester  
In SENATE  
January 11, 1900

REPORT OF THE COMMISSIONERS OF THE LAND OFFICE  
IN ANSWER TO A RESOLUTION PASSED BY THE SENATE  
MAY 11, 1899

ALBANY:  
J. B. LIPPINCOTT & COMPANY, PRINTERS,  
1899

ALBANY:  
J. B. LIPPINCOTT & COMPANY, PRINTERS,  
1900

ALBANY:  
J. B. LIPPINCOTT & COMPANY, PRINTERS,  
1900