

East Harbour Regional Park, Hutt City Council

Agaricus sp. (PDD)
Aemillaria "mellea" (PDD)
Armillaria novae-zelandiae (K, type locality)
Camarophyllus muritaensis (=Hygrophorus muritaensis, K, type locality)
Collybia rimutaka (K)
Coprinus disseminatus (PDD)
Cortinarius "cinnamomeus" (PDD)
Cortinarius "sanguineus" (PDD)
Cystoderma clastotrichum (K)
Entoloma convexum (K, type locality)
Hohenbeuhelia podocarpinea (K, type locality)
Hydropus ardesiacus (K, type locality)
Hygrocybe procera (=Hygrophorus procera &
H.miniceps, K, type locality of latter)
Kuehneromyces sp. (PDD)
Laccaria "laccata" (PDD)
Laccaria lilacina (K)
Laccaria sp. (PDD)
Lactarius umerensis (PDD)
Marasmius atrocastaneus (K, type locality)
Marasmius croceus (K, type locality)
Marasmius curranii (K, type locality)
Marasmius sp. (PDD)
Mucilopilus nothofagi as Porphyrellus nothofagi (PDD)
Mycena flavovirens (=Mycena multicolorata, K, type locality)
Mycena sp. (PDD)
Naematoloma sp. (PDD)
Omphalina foetida (K, type locality)
Phaeomyccena fusca (K, type locality)
Pleurotus australis (K) as Pleurotus ostreatus
Pleurotus purpureo-olivaceus (K, type locality)
Porpoloma amyloideum (K, type locality)
Russula subvinosa (PDD)
Thaxterogaster porphyreum (PDD, type locality)
Tricholoma testaceum (K, type locality)
Tricholoma viridi-olivaceum (K, type locality)
Tylopilus brunneus as Porphyrellus brunneus (PDD)
Xeromphalina leonina (=Xeromphalina racemosa K, type locality)

Acanthophysium berggreni (PDD)
Acanthophysium coralloides (PDD)
Aleurodiscus ochraceo-flavus (PDD, type locality)
Aleurodiscus peziculoides (PDD, type locality)
Asterostroma persimile (PDD)
Australoporus tasmanicus (PDD)

Calostoma rodwayi (PDD)
Coltricia dependens (PDD)
Coltricia laeta (PDD)
Coltrichia salpincta (PDD)
Cyathus hookeri (PDD)
Cyathus novae-zelandiae (PDD)
CYClomyces tabacinus (PDD)
Echinochaeta russiceps (PDD)
Favolaschia pezizaeformis (PDD)
Fomitopsis hemiterphra (PDD)
Ganoderma sp. (PDD) as Elfvingia australis
Ganoderma sp. (PDD) as Elfvingia mastopora
Hericium coralloides (PDD)
Hydnum crocidens var. wellingtonii (PDD, type locality)
Hymenochaete tabacina (PDD)
Hymenogaster viscidus (PDD)
Inonotus nothofagi (PDD, type locality)
Lycoperdon compactum (PDD, type locality)
Lycoperdon pyriforme (PDD)
Meruliopsis taxicola (PDD)
Merulius ministus (PDD, type locality)
Octavianina tasmanica (PDD)
Phellinus gilvus (PDD)
Phellinus robusta (PDD)
Phellinus setulosa (PDD)
Piptoporus portentosus* (NZFRI(M))
Poria alutacea (PDD)
Poria curreyana (PDD)
Poria rata (PDD)
Poria tarda (PDD)
Poria versipora (PDD)
Puccinia euphrasiana (PDD, type locality)
Puccinia heketara (PDD, type locality)
Punctularia strigosozonata as Stereum strigosozonata (PDD)
Stereum hirsutum (PDD)
Stereum vellereum (PDD)
Trichaptum rhinocephalum (PDD)
Tyromyces chioneus = Leptoporus coriolus? (PDD)
Tyromyces guttulatus (PDD)
Tyromyces merulinus (PDD)
Tyromyces mollis (PDD)
Tyromyces oviformis (PDD)
Tyromyces setiger (PDD)
Wrightoporia novae-zelandiae (PDD, type locality)

Bisporella citrina (PDD)
Bisporella discedens (PDD)
Botryosphaeria macrolopha (PDD, type locality)

Helotium citrinum (PDD)
Hypocrea ascoboloides (PDD)
Hypoxyton bovei (PDD)
Hypoxyton diatrypeoides (PDD)
Hypoxyton howeianum (PDD)
Hypoxyton marginatum (PDD?)
Hypoxyton nummularium (PDD)
Hypoxyton subrutiloides (PDD)
Microcera orthospora (PDD, type locality)
Nectria cyathea (PDD)
Nectria macrostoma (PDD)
Nectria vilior (PDD)
Peziza repanda (PDD)
Phomopsis cunninghamii (PDD, type locality)
Physalospora euganea (PDD?)
Plectania rhytidia (PDD)
Rosellinia subiculata (PDD)
Scoleciasis atkinsonii (PDD, type locality)