

Kelleria croizatii

FAMILY

Thymelaeaceae

AUTHORITY

Kelleria croizatii Heads

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

NVS CODE

KELCRO

CHROMOSOME NUMBER

2n = 18

CURRENT CONSERVATION STATUS

2017 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

FLOWER COLOURS

White

LIFE CYCLE

Achenes are possibly wind dispersed (Thorsen et al., 2009).

REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 11: 285-309

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/kelleria-croizatii/>

PDF DATE

17 September 2024



Temple basin, January. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.



Mount Burns, Fiordland. Photographer: Anne Humburg, Date taken: 13/12/2008, Licence: All rights reserved.