

Cassytha paniculata

COMMON NAMES

taihoa, māwhai

BIOSTATUS

Native

CATEGORY

Vascular

STRUCTURAL CLASS

Lianes & Related Trailing Plants - Dicotyledons

FLOWER COLOURS

Green, White

CURRENT CONSERVATION STATUS

2023 | Not Threatened | Qualifiers: SO

[Jump to previous conservation statuses](#)

DETAILED TAXONOMY

FAMILY

Lauraceae

AUTHORITY

Cassytha paniculata R.Br.

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

ECOLOGY

LIFE CYCLE AND DISPERSAL

Fleshy drupes are dispersed by frugivory and water (Thorsen et al., 2009).

WETLAND PLANT INDICATOR STATUS RATING

FAC: Facultative

Commonly occurs as either a hydrophyte or non-hydrophyte (non-wetlands).

OTHER INFORMATION

PLANT OF THE MONTH

This plant has been featured as a Plant of the Month – see [Trilepidea: NZPCN newsletter for August 2015](#) for the full story.

ETYMOLOGY

cassytha: From the Greek word kassyo 'sew' or 'patch'


paniculata: Small sprayed

NVS CODE

CASPAN

CHROMOSOME NUMBER

2n = 24



At Waitiki, December. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.



Waitiki, December. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.

PREVIOUS CONSERVATION STATUSES

2017 | Not Threatened | Qualifiers: SO

2012 | Not Threatened

2009 | At Risk – Naturally Uncommon

2004 | Not Threatened

[Jump to current conservation status](#)

REFERENCING AND CITATIONS

REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora. Perspectives in Plant Ecology, Evolution and Systematics 2009 Vol. 11 No. 4 pp. 285-309

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/cassythapaniculata/>

PDF DATE

11 March 2025