

Epacris pauciflora

COMMON NAMES

tamingi

SYNONYMS

Epacris pauciflora A.Rich. var. *pauciflora*

FAMILY

Ericaceae

AUTHORITY

Epacris pauciflora A.Rich.

FLORA CATEGORY

Vascular – Native

ENDEMIC TAXON

Yes

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Trees & Shrubs - Dicotyledons

NVS CODE

EPAPAU

CHROMOSOME NUMBER

$2n = 26$

CURRENT CONSERVATION STATUS

2017 | Not Threatened

PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

SIMPLIFIED DESCRIPTION

Bushy woody shrub with erect branches covered in small hard leaves 4–7mm long and a small dry capsule inhabiting shrublands. Twigs covered in small hairs. Leaves distinctly widest at middle, with three darker green lines on underside. Flowers white, solitary in the base of leaves but many per twig.

DISTRIBUTION

Endemic. North and South Islands from Te Pahi south to near Charleston on the west coast of the South Island

WETLAND PLANT INDICATOR STATUS RATING

FAC: Facultative

Commonly occurs as either a hydrophyte or non-hydrophyte (non-wetlands).

FLOWERING

Throughout the year



Kopouatai Peat Dome. Photographer: Jeremy R. Rolfe, Date taken: 17/07/2007, Licence: CC BY.



Kopouatai Peat Dome. Photographer: Jeremy R. Rolfe, Date taken: 17/07/2007, Licence: CC BY.

FLOWER COLOURS

Red/Pink, White

FRUITING

Throughout the year

LIFE CYCLE

Minute seeds are wind dispersed (Thorsen et al., 2009).

ETYMOLOGY

epacris: From the Greek epi 'upon' and akros 'the top', referring these plants' habitat being on high ground

pauciflora: Few-flowered

CULTIVATION

Occasionally available from specialist native plant nurseries

REFERENCES AND FURTHER READING

Thorsen, M. J.; Dickinson, K. J. M.; Seddon, P. J. 2009. Seed dispersal systems in the New Zealand flora.

Perspectives in Plant Ecology, Evolution and Systematics 11: 285-309

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/epacris-pauciflora/>

PDF DATE

25 September 2024